

Table 7.1C Types of Illicit Drug Use in Lifetime among Persons Aged 12 or Older: Standard Errors of Numbers in Thousands, 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	963	909	969	940	897	971	928	971	1,026
Marijuana and Hashish	912	868	912	925	908	963	917	953	1,021
Cocaine	583	565	636	595	654	659	668	655	682
Crack	306	264	280	292	329	339	322	316	378
Heroin	223	205	193	226	238	239	224	220	248
Hallucinogens	602	589	618	608	644	638	648	665	689
LSD	514	494	506	521	520	548	548	562	562
PCP	284	271	298	289	294	297	338	297	321
Ecstasy	297	285	329	335	355	346	344	370	429
Inhalants	474	441	480	460	471	503	488	473	473
Nonmedical Use of Psychotherapeutics ^{2,3}	743	653	736	719	700	696	760	738	785
Pain Relievers	569	517	564	562	539	562	597	583	608
OxyContin [®]	116	140	134	142	167	180	187	222	245
Tranquilizers	497	435	490	480	478	468	505	492	494
Stimulants ³	515	475	498	491	506	471	546	507	556
Methamphetamine ³	417	403	401	375	412	367	400	403	451
Sedatives	370	325	403	347	352	360	401	352	355
ILLCIT DRUGS OTHER THAN MARIJUANA¹	815	756	827	835	807	855	856	879	902

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.1D Types of Illicit Drug Use in Lifetime among Persons Aged 12 or Older: Standard Errors of Percentages, 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	0.41	0.38	0.40	0.39	0.36	0.39	0.37	0.39	0.40
Marijuana and Hashish	0.39	0.37	0.38	0.38	0.37	0.39	0.37	0.38	0.40
Cocaine	0.25	0.24	0.26	0.24	0.27	0.27	0.27	0.26	0.27
Crack	0.13	0.11	0.12	0.12	0.13	0.14	0.13	0.13	0.15
Heroin	0.10	0.09	0.08	0.09	0.10	0.10	0.09	0.09	0.10
Hallucinogens	0.26	0.25	0.26	0.25	0.26	0.26	0.26	0.26	0.27
LSD	0.22	0.21	0.21	0.21	0.21	0.22	0.22	0.22	0.22
PCP	0.12	0.11	0.12	0.12	0.12	0.12	0.14	0.12	0.13
Ecstasy	0.13	0.12	0.14	0.14	0.14	0.14	0.14	0.15	0.17
Inhalants	0.20	0.19	0.20	0.19	0.19	0.20	0.20	0.19	0.19
Nonmedical Use of Psychotherapeutics ^{2,3}	0.32	0.27	0.31	0.30	0.28	0.28	0.30	0.29	0.31
Pain Relievers	0.24	0.22	0.23	0.23	0.22	0.23	0.24	0.23	0.24
OxyContin [®]	0.05	0.06	0.06	0.06	0.07	0.07	0.08	0.09	0.10
Tranquilizers	0.21	0.18	0.20	0.20	0.19	0.19	0.20	0.20	0.19
Stimulants ³	0.22	0.20	0.21	0.20	0.21	0.19	0.22	0.20	0.22
Methamphetamine ³	0.18	0.17	0.17	0.15	0.17	0.15	0.16	0.16	0.18
Sedatives	0.16	0.14	0.17	0.14	0.14	0.15	0.16	0.14	0.14
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.35	0.32	0.34	0.34	0.33	0.35	0.34	0.35	0.36

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.1P Types of Illicit Drug Use in Lifetime among Persons Aged 12 or Older: P Values from Tests of Differences of Percentages, 2010 Versus 2002-2009

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	0.0602	0.1757	0.0172	0.0614	0.0022	0.0752	0.7757	0.9724	
Marijuana and Hashish	0.0071	0.0229	0.0029	0.0014	0.0001	0.0195	0.1029	0.4465	
Cocaine	0.4931	0.9823	0.2115	0.0240	0.3798	0.6136	0.8973	0.7060	
Crack	0.8480	0.1511	0.0632	0.0662	0.4970	0.4687	0.2290	0.1444	
Heroin	0.6245	0.6934	0.0119	0.1880	0.5219	0.4499	0.4087	0.2269	
Hallucinogens	0.6228	0.3858	0.1801	0.0147	0.2532	0.0088	0.3123	0.9606	
LSD	0.0001	0.0004	0.0811	0.9263	0.3442	0.8603	0.4564	0.5338	
PCP	0.0001	0.0022	0.0523	0.1595	0.1993	0.9532	0.3009	0.9523	
Ecstasy	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0045	
Inhalants	0.0000	0.0000	0.0006	0.0020	0.0049	0.0506	0.1551	0.1639	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.9391	0.5384	0.8605	0.9631	0.3803	0.9607	0.3209	0.6509	
Pain Relievers	0.0011	0.0724	0.1337	0.4064	0.7449	0.2496	0.4728	0.5360	
OxyContin [®]	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.4505	
Tranquilizers	0.0701	0.4371	0.1023	0.8169	0.8375	0.0383	0.6799	0.7856	
Stimulants ³	0.0000	0.0001	0.0156	0.7696	0.0487	0.4809	0.8695	0.5635	
Methamphetamine ³	0.0000	0.0000	0.0002	0.7418	0.0110	0.5341	0.7200	0.8892	
Sedatives	0.0000	0.0000	0.0000	0.0007	0.0052	0.0593	0.0107	0.0375	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.7634	0.8008	0.1768	0.2924	0.3896	0.4348	0.6796	0.9231	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.2C Types of Illicit Drug Use in the Past Year among Persons Aged 12 or Older: Standard Errors of Numbers in Thousands, 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	588	558	535	550	566	596	554	600	646
Marijuana and Hashish	471	455	451	473	477	492	474	541	557
Cocaine	222	229	205	205	230	242	207	211	203
Crack	124	124	117	114	135	123	94	106	91
Heroin	55	48	56	43	86	53	59	85	75
Hallucinogens	151	147	153	146	149	140	129	158	177
LSD	63	44	47	48	56	55	49	54	71
PCP	25	24	28	21	38	18	14	21	24
Ecstasy	126	105	112	114	105	108	96	126	128
Inhalants	95	83	90	95	107	106	115	109	114
Nonmedical Use of Psychotherapeutics ^{2,3}	379	358	352	346	360	380	353	367	398
Pain Relievers	300	299	300	304	306	316	296	322	336
OxyContin [®]	--	--	74	81	93	96	88	105	116
Tranquilizers	225	195	208	207	196	221	200	220	208
Stimulants ³	154	136	157	134	180	152	123	147	157
Methamphetamine ³	116	100	128	99	137	115	75	101	104
Sedatives	116	85	72	74	99	93	61	80	104
ILLCIT DRUGS OTHER THAN MARIJUANA¹	432	420	410	398	418	449	408	422	447

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.2D Types of Illicit Drug Use in the Past Year among Persons Aged 12 or Older: Standard Errors of Percentages, 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	0.25	0.23	0.22	0.23	0.23	0.24	0.22	0.24	0.25
Marijuana and Hashish	0.20	0.19	0.19	0.19	0.19	0.20	0.19	0.21	0.22
Cocaine	0.09	0.10	0.09	0.08	0.09	0.10	0.08	0.08	0.08
Crack	0.05	0.05	0.05	0.05	0.05	0.05	0.04	0.04	0.04
Heroin	0.02	0.02	0.02	0.02	0.03	0.02	0.02	0.03	0.03
Hallucinogens	0.06	0.06	0.06	0.06	0.06	0.06	0.05	0.06	0.07
LSD	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.03
PCP	0.01	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.01
Ecstasy	0.05	0.04	0.05	0.05	0.04	0.04	0.04	0.05	0.05
Inhalants	0.04	0.03	0.04	0.04	0.04	0.04	0.05	0.04	0.04
Nonmedical Use of Psychotherapeutics ^{2,3}	0.16	0.15	0.15	0.14	0.15	0.15	0.14	0.15	0.16
Pain Relievers	0.13	0.13	0.12	0.12	0.12	0.13	0.12	0.13	0.13
OxyContin [®]	--	--	0.03	0.03	0.04	0.04	0.04	0.04	0.05
Tranquilizers	0.10	0.08	0.09	0.08	0.08	0.09	0.08	0.09	0.08
Stimulants ³	0.07	0.06	0.07	0.06	0.07	0.06	0.05	0.06	0.06
Methamphetamine ³	0.05	0.04	0.05	0.04	0.06	0.05	0.03	0.04	0.04
Sedatives	0.05	0.04	0.03	0.03	0.04	0.04	0.02	0.03	0.04
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.18	0.18	0.17	0.16	0.17	0.18	0.16	0.17	0.18

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.2P Types of Illicit Drug Use in the Past Year among Persons Aged 12 or Older: P Values from Tests of Differences of Percentages, 2010 Versus 2002-2009

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	0.3135	0.0953	0.0145	0.0074	0.0252	0.0099	0.0014	0.5062	
Marijuana and Hashish	0.0586	0.0021	0.0013	0.0002	0.0000	0.0000	0.0000	0.5246	
Cocaine	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0037	0.2565	
Crack	0.0000	0.0001	0.0010	0.0002	0.0000	0.0001	0.0592	0.2790	
Heroin	0.0565	0.0019	0.0375	0.0110	0.7199	0.0097	0.1023	0.9387	
Hallucinogens	0.0122	0.1797	0.0742	0.0226	0.0605	0.0039	0.0002	0.9194	
LSD	0.0392	0.0011	0.0039	0.0011	0.0366	0.0077	0.4995	0.3372	
PCP	0.0000	0.0001	0.0009	0.0191	0.0351	0.1515	0.8313	0.3684	
Ecstasy	0.0000	0.0239	0.0003	0.0006	0.0072	0.0071	0.0026	0.3328	
Inhalants	0.1565	0.2024	0.0193	0.0903	0.1099	0.5382	0.7703	0.6370	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.8970	0.7872	0.4933	0.9575	0.0744	0.2610	0.2407	0.8698	
Pain Relievers	0.4437	0.6042	0.4559	0.8148	0.0726	0.2517	0.7465	0.5388	
OxyContin [®]	--	--	0.0000	0.0000	0.0009	0.0071	0.0093	0.2488	
Tranquilizers	0.2717	0.5156	0.4337	0.7212	0.2094	0.5622	0.1660	0.7850	
Stimulants ³	0.0009	0.1053	0.0174	0.1147	0.0000	0.4252	0.3019	0.3676	
Methamphetamine ³	0.0000	0.0000	0.0000	0.0000	0.0000	0.0091	0.4818	0.1509	
Sedatives	0.3552	0.8840	0.3123	0.3352	0.7323	0.8694	0.0216	0.4848	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0246	0.0851	0.8047	0.5108	0.0282	0.0994	0.6445	0.3494	

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.3C Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older: Standard Errors of Numbers in Thousands, 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	388	404	415	432	426	445	427	457	488
Marijuana and Hashish	320	327	360	360	356	360	377	395	406
Cocaine	128	147	119	142	153	149	131	136	108
Crack	68	91	66	87	101	80	55	77	60
Heroin	42	28	37	19	77	36	40	38	43
Hallucinogens	80	72	58	83	70	74	68	91	84
LSD	18	18	26	16	24	33	19	22	20
PCP	15	13	17	13	9	12	8	18	21
Ecstasy	64	55	47	44	51	56	52	69	61
Inhalants	64	45	64	57	73	67	71	57	82
Nonmedical Use of Psychotherapeutics ^{2,3}	230	256	212	232	243	251	226	250	268
Pain Relievers	186	207	170	194	216	215	196	214	214
OxyContin [®]	--	--	36	38	35	53	58	59	67
Tranquilizers	136	118	103	118	116	129	119	135	138
Stimulants ³	94	102	99	81	105	94	75	98	86
Methamphetamine ³	78	81	76	62	79	80	53	67	53
Sedatives	64	55	48	47	69	68	37	56	73
ILLCIT DRUGS OTHER THAN MARIJUANA¹	276	289	255	279	284	307	262	292	300

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.3D Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older: Standard Errors of Percentages, 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	0.17	0.17	0.17	0.18	0.17	0.18	0.17	0.18	0.19
Marijuana and Hashish	0.14	0.14	0.15	0.15	0.14	0.15	0.15	0.16	0.16
Cocaine	0.05	0.06	0.05	0.06	0.06	0.06	0.05	0.05	0.04
Crack	0.03	0.04	0.03	0.04	0.04	0.03	0.02	0.03	0.02
Heroin	0.02	0.01	0.02	0.01	0.03	0.01	0.02	0.02	0.02
Hallucinogens	0.03	0.03	0.02	0.03	0.03	0.03	0.03	0.04	0.03
LSD	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
PCP	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.01	0.01
Ecstasy	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.03	0.02
Inhalants	0.03	0.02	0.03	0.02	0.03	0.03	0.03	0.02	0.03
Nonmedical Use of Psychotherapeutics ^{2,3}	0.10	0.11	0.09	0.10	0.10	0.10	0.09	0.10	0.11
Pain Relievers	0.08	0.09	0.07	0.08	0.09	0.09	0.08	0.09	0.08
OxyContin [®]	--	--	0.02	0.02	0.01	0.02	0.02	0.02	0.03
Tranquilizers	0.06	0.05	0.04	0.05	0.05	0.05	0.05	0.05	0.05
Stimulants ³	0.04	0.04	0.04	0.03	0.04	0.04	0.03	0.04	0.03
Methamphetamine ³	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.03	0.02
Sedatives	0.03	0.02	0.02	0.02	0.03	0.03	0.01	0.02	0.03
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.12	0.12	0.11	0.11	0.12	0.12	0.10	0.12	0.12

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.3P Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older: P Values from Tests of Differences of Percentages, 2010 Versus 2002-2009

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	0.0150	0.0046	0.0001	0.0013	0.0113	0.0007	0.0004	0.3272	
Marijuana and Hashish	0.0021	0.0011	0.0003	0.0001	0.0001	0.0000	0.0004	0.3338	
Cocaine	0.0001	0.0000	0.0001	0.0000	0.0000	0.0005	0.0134	0.3024	
Crack	0.0139	0.0202	0.2169	0.0026	0.0048	0.0144	0.8701	0.2397	
Heroin	0.3419	0.0335	0.2777	0.0433	0.2199	0.1591	0.6991	0.4545	
Hallucinogens	0.4965	0.3976	0.0284	0.5427	0.1303	0.0943	0.2259	0.6274	
LSD	0.2364	0.6750	0.8689	0.0896	0.5391	0.8815	0.9328	0.8629	
PCP	0.3084	0.3261	0.5561	0.5582	0.8600	0.7727	0.6365	0.5134	
Ecstasy	0.7107	0.0222	0.0051	0.0264	0.0760	0.0300	0.1106	0.4443	
Inhalants	0.9946	0.4173	0.9019	0.6303	0.3839	0.6122	0.7476	0.2311	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.6099	0.8269	0.1336	0.5669	0.3323	0.8121	0.0583	0.9220	
Pain Relievers	0.1971	0.7629	0.1020	0.3867	0.3528	0.5221	0.3236	0.5266	
OxyContin [®]	--	--	0.0044	0.0062	0.0004	0.0335	0.1788	0.5772	
Tranquilizers	0.2887	0.2674	0.0096	0.1590	0.0616	0.1449	0.0715	0.4667	
Stimulants ³	0.0135	0.0210	0.0235	0.1725	0.0111	0.9946	0.1577	0.0900	
Methamphetamine ³	0.0001	0.0000	0.0001	0.0003	0.0000	0.0521	0.6478	0.0775	
Sedatives	0.3335	0.5246	0.2913	0.3035	0.8078	0.8465	0.0953	0.9956	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.2871	0.3226	0.4268	0.4122	0.0300	0.2833	0.4114	0.6272	

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.4C Types of Illicit Drug Use in Lifetime among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	104	107	96	100	104	102	97	102	102
Marijuana and Hashish	88	91	87	85	87	88	82	86	91
Cocaine	36	36	33	34	32	32	32	28	26
Crack	17	17	14	14	15	13	12	10	11
Heroin	14	11	12	10	11	10	13	9	9
Hallucinogens	49	48	45	44	42	41	41	43	44
LSD	34	26	24	23	21	18	21	20	21
PCP	20	20	18	19	16	13	12	13	11
Ecstasy	40	32	31	26	28	30	33	34	35
Inhalants	67	68	67	67	65	68	64	66	61
Nonmedical Use of Psychotherapeutics ^{2,3}	75	76	70	72	75	74	69	69	68
Pain Relievers	69	70	67	65	68	69	65	64	64
OxyContin [®]	21	20	24	21	24	25	22	27	28
Tranquilizers	38	40	36	38	36	37	35	33	36
Stimulants ³	46	41	38	41	42	34	38	30	31
Methamphetamine ³	29	24	25	26	27	19	22	19	18
Sedatives	22	22	23	22	19	20	18	21	17
ILLCIT DRUGS OTHER THAN MARIJUANA¹	89	97	84	87	87	92	82	88	87

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.4D Types of Illicit Drug Use in Lifetime among Persons Aged 12 to 17: Standard Errors of Percentages, 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	0.42	0.43	0.38	0.39	0.41	0.41	0.39	0.42	0.42
Marijuana and Hashish	0.36	0.37	0.34	0.33	0.34	0.35	0.33	0.35	0.37
Cocaine	0.15	0.15	0.13	0.14	0.13	0.13	0.13	0.11	0.11
Crack	0.07	0.07	0.06	0.05	0.06	0.05	0.05	0.04	0.04
Heroin	0.05	0.04	0.05	0.04	0.04	0.04	0.05	0.04	0.04
Hallucinogens	0.20	0.19	0.18	0.17	0.16	0.16	0.16	0.18	0.18
LSD	0.14	0.10	0.09	0.09	0.08	0.07	0.08	0.08	0.09
PCP	0.08	0.08	0.07	0.08	0.06	0.05	0.05	0.05	0.05
Ecstasy	0.16	0.13	0.12	0.10	0.11	0.12	0.13	0.14	0.14
Inhalants	0.27	0.27	0.27	0.26	0.26	0.27	0.26	0.27	0.25
Nonmedical Use of Psychotherapeutics ^{2,3}	0.30	0.30	0.28	0.28	0.30	0.29	0.28	0.28	0.28
Pain Relievers	0.28	0.28	0.27	0.26	0.27	0.27	0.26	0.26	0.26
OxyContin [®]	0.09	0.08	0.09	0.08	0.09	0.10	0.09	0.11	0.12
Tranquilizers	0.16	0.16	0.14	0.15	0.14	0.15	0.14	0.13	0.15
Stimulants ³	0.19	0.16	0.15	0.16	0.17	0.13	0.15	0.12	0.13
Methamphetamine ³	0.12	0.10	0.10	0.10	0.11	0.07	0.09	0.08	0.08
Sedatives	0.09	0.09	0.09	0.09	0.08	0.08	0.07	0.09	0.07
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.36	0.39	0.33	0.34	0.34	0.36	0.33	0.36	0.36

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.4P Types of Illicit Drug Use in Lifetime among Persons Aged 12 to 17: P Values from Tests of Differences of Percentages, 2010 Versus 2002-2009

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	0.0000	0.0000	0.0000	0.0004	0.0010	0.3412	0.3704	0.0548	
Marijuana and Hashish	0.0000	0.0000	0.0001	0.4736	0.5443	0.1064	0.3217	0.9797	
Cocaine	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0139	0.3329	
Crack	0.0000	0.0000	0.0005	0.0113	0.0006	0.0099	0.2724	0.8333	
Heroin	0.0042	0.0244	0.0473	0.3879	0.3982	0.6256	0.1843	0.4295	
Hallucinogens	0.0000	0.0007	0.0503	0.5062	0.3556	0.0215	0.4269	0.9617	
LSD	0.0000	0.0000	0.0225	0.1461	0.4563	0.1750	0.2970	0.5906	
PCP	0.0000	0.0000	0.0000	0.0000	0.0136	0.1420	0.1511	0.2169	
Ecstasy	0.0004	0.4899	0.0136	0.0000	0.0002	0.0000	0.0328	0.2818	
Inhalants	0.0000	0.0000	0.0000	0.0000	0.0000	0.0002	0.0036	0.0050	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0000	0.0000	0.0000	0.0010	0.0000	0.0080	0.1877	0.0460	
Pain Relievers	0.0000	0.0000	0.0000	0.0451	0.0010	0.1718	0.5317	0.1826	
OxyContin [®]	0.0000	0.0005	0.0451	0.0040	0.2822	0.5961	0.3404	0.8487	
Tranquilizers	0.0598	0.0153	0.1875	0.7883	0.8181	1.0000	0.6987	0.4454	
Stimulants ³	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0115	0.2729	
Methamphetamine ³	0.0000	0.0000	0.0000	0.0000	0.0000	0.0211	0.2454	0.3105	
Sedatives	0.0402	0.0171	0.0190	0.0943	0.1412	0.2680	0.4099	0.0996	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0000	0.0000	0.0000	0.0000	0.0000	0.0092	0.0426	0.0202	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.5C Types of Illicit Drug Use in the Past Year among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	95	91	87	88	94	88	86	89	93
Marijuana and Hashish	79	79	77	75	78	75	72	77	83
Cocaine	32	28	27	28	28	27	24	22	22
Crack	14	13	10	10	12	11	7	6	5
Heroin	11	8	10	8	8	6	11	7	8
Hallucinogens	40	37	36	36	34	34	35	38	40
LSD	25	15	17	17	14	15	18	14	17
PCP	13	12	12	14	11	9	10	10	8
Ecstasy	32	23	23	21	23	26	27	29	32
Inhalants	44	48	45	47	45	43	44	42	42
Nonmedical Use of Psychotherapeutics ^{2,3}	64	64	59	61	62	63	58	58	58
Pain Relievers	59	59	56	56	56	59	54	53	54
OxyContin [®]	--	--	18	18	18	19	17	20	24
Tranquilizers	34	33	29	29	30	31	29	26	30
Stimulants ³	35	30	28	31	33	27	28	23	24
Methamphetamine ³	22	17	17	20	21	14	14	13	15
Sedatives	16	16	15	16	13	15	14	16	14
ILLCIT DRUGS OTHER THAN MARIJUANA¹	76	79	71	71	73	73	69	71	74

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.5D Types of Illicit Drug Use in the Past Year among Persons Aged 12 to 17: Standard Errors of Percentages, 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	0.38	0.36	0.34	0.35	0.37	0.35	0.35	0.36	0.38
Marijuana and Hashish	0.32	0.31	0.31	0.30	0.31	0.30	0.29	0.31	0.34
Cocaine	0.13	0.11	0.11	0.11	0.11	0.11	0.10	0.09	0.09
Crack	0.06	0.05	0.04	0.04	0.05	0.04	0.03	0.03	0.02
Heroin	0.04	0.03	0.04	0.03	0.03	0.02	0.05	0.03	0.03
Hallucinogens	0.16	0.15	0.14	0.14	0.13	0.14	0.14	0.16	0.16
LSD	0.10	0.06	0.07	0.07	0.05	0.06	0.07	0.06	0.07
PCP	0.05	0.05	0.05	0.06	0.04	0.04	0.04	0.04	0.03
Ecstasy	0.13	0.09	0.09	0.08	0.09	0.10	0.11	0.12	0.13
Inhalants	0.18	0.19	0.18	0.19	0.18	0.17	0.18	0.17	0.17
Nonmedical Use of Psychotherapeutics ^{2,3}	0.26	0.26	0.23	0.24	0.24	0.25	0.23	0.24	0.24
Pain Relievers	0.24	0.24	0.22	0.22	0.22	0.23	0.22	0.22	0.22
OxyContin [®]	--	--	0.07	0.07	0.07	0.07	0.07	0.08	0.10
Tranquilizers	0.14	0.13	0.12	0.11	0.12	0.12	0.12	0.11	0.12
Stimulants ³	0.14	0.12	0.11	0.12	0.13	0.11	0.11	0.09	0.10
Methamphetamine ³	0.09	0.07	0.07	0.08	0.08	0.06	0.06	0.05	0.06
Sedatives	0.07	0.06	0.06	0.06	0.05	0.06	0.06	0.06	0.06
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.31	0.32	0.28	0.28	0.29	0.29	0.28	0.29	0.30

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.5P Types of Illicit Drug Use in the Past Year among Persons Aged 12 to 17: P Values from Tests of Differences of Percentages, 2010 Versus 2002-2009

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	0.0000	0.0000	0.0021	0.3805	0.7760	0.1746	0.3936	0.8272	
Marijuana and Hashish	0.0001	0.0292	0.2462	0.1775	0.0872	0.0010	0.0343	0.3793	
Cocaine	0.0000	0.0000	0.0000	0.0000	0.0000	0.0002	0.0709	0.9726	
Crack	0.0000	0.0000	0.0001	0.0018	0.0000	0.0002	0.1041	0.1848	
Heroin	0.0956	0.4799	0.1332	0.5201	0.4933	0.5844	0.3206	0.5574	
Hallucinogens	0.0012	0.8427	0.7005	0.0401	0.0118	0.0051	0.1672	0.7009	
LSD	0.0000	0.6618	0.4815	0.7080	0.1207	0.5286	0.0817	0.8135	
PCP	0.0000	0.0002	0.0139	0.0036	0.1125	0.1247	0.0387	0.3554	
Ecstasy	0.1156	0.0003	0.0000	0.0000	0.0000	0.0003	0.0031	0.2161	
Inhalants	0.0032	0.0009	0.0001	0.0004	0.0023	0.1940	0.2060	0.2524	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0000	0.0000	0.0000	0.0120	0.0007	0.0699	0.4813	0.5114	
Pain Relievers	0.0001	0.0000	0.0003	0.0509	0.0035	0.2024	0.5117	0.2945	
OxyContin [®]	--	--	0.1172	0.0696	0.1343	0.7438	0.6026	0.6674	
Tranquilizers	0.0390	0.0163	0.2409	0.7839	0.9452	0.6005	0.8988	0.7702	
Stimulants ³	0.0000	0.0000	0.0000	0.0000	0.0000	0.0296	0.2707	0.8729	
Methamphetamine ³	0.0000	0.0002	0.0011	0.0025	0.0014	0.4378	0.7906	0.4723	
Sedatives	0.2517	0.4357	0.3854	0.8856	0.7612	0.8585	0.9669	0.4986	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0000	0.0000	0.0001	0.0125	0.0075	0.5733	0.7367	0.6104	

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.6C Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLICIT DRUGS¹	71	67	67	64	67	68	61	66	70
Marijuana and Hashish	58	60	57	56	54	56	54	58	62
Cocaine	18	16	15	16	13	13	13	12	11
Crack	9	8	5	7	4	5	3	4	2
Heroin	5	6	5	5	5	2	6	5	3
Hallucinogens	20	20	19	19	17	17	20	20	21
LSD	12	10	8	8	7	8	10	7	10
PCP	6	6	5	6	5	5	4	5	3
Ecstasy	16	12	13	11	11	11	14	16	15
Inhalants	22	25	26	23	26	26	24	22	23
Nonmedical Use of Psychotherapeutics ^{2,3}	43	42	40	37	40	40	33	36	38
Pain Relievers	39	39	36	33	36	36	29	34	35
OxyContin [®]	--	--	10	7	6	8	8	11	10
Tranquilizers	18	22	15	17	15	19	16	15	15
Stimulants ³	22	19	19	18	17	14	14	15	15
Methamphetamine ³	14	11	12	13	10	8	6	8	8
Sedatives	9	10	6	6	8	9	8	9	8
ILLICIT DRUGS OTHER THAN MARIJUANA¹	52	48	49	44	48	49	42	45	47

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.6D Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17: Standard Errors of Percentages, 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	0.29	0.27	0.27	0.25	0.27	0.27	0.24	0.27	0.29
Marijuana and Hashish	0.24	0.24	0.23	0.22	0.21	0.22	0.22	0.24	0.25
Cocaine	0.07	0.06	0.06	0.06	0.05	0.05	0.05	0.05	0.05
Crack	0.03	0.03	0.02	0.03	0.02	0.02	0.01	0.02	0.01
Heroin	0.02	0.02	0.02	0.02	0.02	0.01	0.03	0.02	0.01
Hallucinogens	0.08	0.08	0.07	0.07	0.07	0.07	0.08	0.08	0.09
LSD	0.05	0.04	0.03	0.03	0.03	0.03	0.04	0.03	0.04
PCP	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.01
Ecstasy	0.06	0.05	0.05	0.04	0.04	0.04	0.06	0.06	0.06
Inhalants	0.09	0.10	0.10	0.09	0.10	0.10	0.10	0.09	0.10
Nonmedical Use of Psychotherapeutics ^{2,3}	0.17	0.17	0.16	0.14	0.16	0.16	0.13	0.15	0.16
Pain Relievers	0.16	0.15	0.14	0.13	0.14	0.14	0.12	0.14	0.14
OxyContin [®]	--	--	0.04	0.03	0.02	0.03	0.03	0.04	0.04
Tranquilizers	0.07	0.09	0.06	0.07	0.06	0.07	0.07	0.06	0.06
Stimulants ³	0.09	0.08	0.08	0.07	0.07	0.06	0.06	0.06	0.06
Methamphetamine ³	0.06	0.04	0.05	0.05	0.04	0.03	0.02	0.03	0.03
Sedatives	0.03	0.04	0.02	0.03	0.03	0.04	0.03	0.04	0.03
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.21	0.19	0.20	0.17	0.19	0.19	0.17	0.18	0.19

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.6P Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17: P Values from Tests of Differences of Percentages, 2010 Versus 2002-2009

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	0.0002	0.0046	0.2262	0.5551	0.3549	0.1421	0.0196	0.8213	
Marijuana and Hashish	0.0215	0.1459	0.5670	0.1072	0.0245	0.0422	0.0308	0.8515	
Cocaine	0.0001	0.0000	0.0010	0.0001	0.0071	0.0182	0.0379	0.6211	
Crack	0.0107	0.0002	0.0253	0.0046	0.0136	0.0188	0.2875	0.2902	
Heroin	0.6476	0.1799	0.2577	0.2857	0.2277	0.1596	0.4834	0.3921	
Hallucinogens	0.2242	0.1994	0.6697	0.5121	0.1228	0.0861	0.4734	0.9720	
LSD	0.3742	0.7880	0.4663	0.2359	0.1891	0.1653	0.8156	0.3559	
PCP	0.0120	0.0366	0.4332	0.1057	0.3634	0.6369	0.1403	0.2858	
Ecstasy	0.9126	0.0721	0.0121	0.0044	0.0195	0.0016	0.2869	0.6467	
Inhalants	0.2948	0.1513	0.2651	0.2428	0.0608	0.5371	0.9935	0.5006	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0000	0.0000	0.0037	0.1260	0.1221	0.1692	0.5400	0.4574	
Pain Relievers	0.0011	0.0010	0.0222	0.3198	0.3017	0.4873	0.2075	0.4705	
OxyContin [®]	--	--	0.2432	0.2693	0.0964	0.9067	0.8996	0.1470	
Tranquilizers	0.0295	0.0009	0.3020	0.3740	0.5368	0.0757	0.5706	0.7176	
Stimulants ³	0.0002	0.0000	0.0051	0.0108	0.0122	0.4417	0.8863	0.3234	
Methamphetamine ³	0.0056	0.0010	0.0233	0.0027	0.0474	0.4726	0.7415	0.2709	
Sedatives	0.3069	0.3712	0.3200	0.3338	0.4635	0.8798	0.9380	0.6794	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0000	0.0000	0.0054	0.0925	0.1190	0.5224	0.6451	0.8488	

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.7C Types of Illicit Drug Use in Lifetime among Persons Aged 18 to 25: Standard Errors of Numbers in Thousands, 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	156	155	165	161	166	161	153	162	166
Marijuana and Hashish	157	157	176	168	175	166	157	168	166
Cocaine	114	107	109	115	116	116	111	113	112
Crack	51	54	50	54	55	49	47	46	46
Heroin	35	37	36	36	38	34	32	37	41
Hallucinogens	140	134	130	132	140	130	116	133	134
LSD	115	108	98	96	89	78	72	78	79
PCP	45	49	42	41	38	35	36	35	34
Ecstasy	112	109	108	113	112	111	99	103	114
Inhalants	111	104	111	102	101	95	91	94	90
Nonmedical Use of Psychotherapeutics ^{2,3}	135	136	143	143	153	145	140	152	143
Pain Relievers	119	130	129	131	144	135	136	138	133
OxyContin [®]	40	56	54	64	65	62	67	70	75
Tranquilizers	94	98	98	107	111	104	101	104	106
Stimulants ³	93	101	104	97	104	98	90	97	96
Methamphetamine ³	71	76	72	77	79	71	63	62	62
Sedatives	39	37	40	40	38	40	37	40	34
ILLCIT DRUGS OTHER THAN MARIJUANA¹	157	151	157	154	165	158	154	163	158

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.7D Types of Illicit Drug Use in Lifetime among Persons Aged 18 to 25: Standard Errors of Percentages, 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	0.50	0.49	0.51	0.49	0.51	0.49	0.46	0.48	0.49
Marijuana and Hashish	0.51	0.50	0.55	0.52	0.53	0.51	0.48	0.50	0.49
Cocaine	0.37	0.34	0.34	0.35	0.36	0.36	0.34	0.34	0.33
Crack	0.16	0.17	0.16	0.17	0.17	0.15	0.14	0.14	0.14
Heroin	0.11	0.12	0.11	0.11	0.12	0.10	0.10	0.11	0.12
Hallucinogens	0.45	0.42	0.40	0.41	0.43	0.40	0.35	0.40	0.39
LSD	0.37	0.34	0.31	0.30	0.27	0.24	0.22	0.23	0.23
PCP	0.15	0.16	0.13	0.13	0.12	0.11	0.11	0.11	0.10
Ecstasy	0.36	0.34	0.34	0.35	0.34	0.34	0.30	0.31	0.34
Inhalants	0.36	0.33	0.34	0.31	0.31	0.29	0.27	0.28	0.26
Nonmedical Use of Psychotherapeutics ^{2,3}	0.44	0.43	0.44	0.44	0.47	0.44	0.42	0.45	0.42
Pain Relievers	0.39	0.41	0.40	0.40	0.44	0.41	0.41	0.41	0.39
OxyContin [®]	0.13	0.18	0.17	0.20	0.20	0.19	0.20	0.21	0.22
Tranquilizers	0.30	0.31	0.31	0.33	0.34	0.32	0.31	0.31	0.31
Stimulants ³	0.30	0.32	0.32	0.30	0.32	0.30	0.27	0.29	0.28
Methamphetamine ³	0.23	0.24	0.23	0.24	0.24	0.22	0.19	0.18	0.18
Sedatives	0.13	0.12	0.12	0.12	0.12	0.12	0.11	0.12	0.10
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.51	0.47	0.49	0.48	0.50	0.48	0.47	0.48	0.46

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.7P Types of Illicit Drug Use in Lifetime among Persons Aged 18 to 25: P Values from Tests of Differences of Percentages, 2010 Versus 2002-2009

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	0.0001	0.0000	0.0024	0.0018	0.0050	0.5379	0.5663	0.0952	
Marijuana and Hashish	0.0002	0.0001	0.0253	0.0635	0.0763	0.6357	0.2941	0.0920	
Cocaine	0.0000	0.0003	0.0001	0.0002	0.0000	0.0005	0.0239	0.0012	
Crack	0.0000	0.0000	0.0000	0.0000	0.0000	0.0357	0.3536	0.1259	
Heroin	0.2009	0.3527	0.4051	0.1200	0.1812	0.0933	0.0121	0.6426	
Hallucinogens	0.0000	0.0000	0.0000	0.0000	0.0018	0.1281	0.2082	0.2886	
LSD	0.0000	0.0000	0.0000	0.0000	0.0000	0.0082	0.6922	0.1628	
PCP	0.0000	0.0000	0.0000	0.0000	0.0000	0.0142	0.0612	0.4484	
Ecstasy	0.0000	0.0000	0.0030	0.0057	0.0332	0.3640	0.5776	0.9335	
Inhalants	0.0000	0.0000	0.0000	0.0000	0.0000	0.0005	0.2016	0.0365	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.4967	0.1850	0.1009	0.0010	0.0017	0.0474	0.3719	0.3790	
Pain Relievers	0.0023	0.8756	0.3718	0.0026	0.0042	0.0611	0.2491	0.3479	
OxyContin [®]	0.0000	0.0000	0.0000	0.0000	0.0001	0.0004	0.0009	0.8880	
Tranquilizers	0.0000	0.0563	0.0290	0.5324	0.8743	0.3016	0.0480	0.4287	
Stimulants ³	0.0000	0.0000	0.0000	0.0000	0.0001	0.1333	0.6038	0.4650	
Methamphetamine ³	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0073	0.0366	
Sedatives	0.0000	0.0065	0.0002	0.0001	0.0010	0.0070	0.2434	0.1992	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0000	0.0000	0.0000	0.0000	0.0000	0.0015	0.5457	0.1318	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.8C Types of Illicit Drug Use in the Past Year among Persons Aged 18 to 25: Standard Errors of Numbers in Thousands, 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	143	153	154	152	156	156	152	157	166
Marijuana and Hashish	135	146	152	145	149	150	148	154	164
Cocaine	74	72	80	74	80	78	69	68	69
Crack	23	23	24	29	27	24	22	20	22
Heroin	17	14	15	21	18	20	18	19	25
Hallucinogens	81	77	72	74	79	77	74	81	90
LSD	44	30	27	30	32	30	36	39	44
PCP	14	19	17	11	14	11	8	8	10
Ecstasy	67	50	48	52	61	58	59	64	69
Inhalants	41	39	41	42	40	38	36	45	44
Nonmedical Use of Psychotherapeutics ^{2,3}	97	104	110	109	118	110	111	118	114
Pain Relievers	86	97	94	98	102	97	100	102	99
OxyContin [®]	--	--	35	37	39	36	37	42	44
Tranquilizers	57	66	66	68	74	69	69	69	71
Stimulants ³	57	56	66	58	61	61	54	60	59
Methamphetamine ³	41	39	41	41	38	35	26	29	28
Sedatives	18	18	18	22	22	21	22	22	20
ILLCIT DRUGS OTHER THAN MARIJUANA¹	116	127	126	121	129	125	122	130	131

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.8D Types of Illicit Drug Use in the Past Year among Persons Aged 18 to 25: Standard Errors of Percentages, 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	0.46	0.48	0.48	0.47	0.48	0.48	0.46	0.47	0.49
Marijuana and Hashish	0.43	0.46	0.47	0.45	0.46	0.46	0.45	0.46	0.48
Cocaine	0.24	0.23	0.25	0.23	0.24	0.24	0.21	0.20	0.20
Crack	0.08	0.07	0.07	0.09	0.08	0.07	0.07	0.06	0.06
Heroin	0.05	0.04	0.05	0.06	0.05	0.06	0.06	0.06	0.07
Hallucinogens	0.26	0.24	0.22	0.23	0.24	0.24	0.23	0.24	0.26
LSD	0.14	0.09	0.08	0.09	0.10	0.09	0.11	0.12	0.13
PCP	0.04	0.06	0.05	0.03	0.04	0.03	0.02	0.02	0.03
Ecstasy	0.22	0.16	0.15	0.16	0.19	0.18	0.18	0.19	0.20
Inhalants	0.13	0.12	0.13	0.13	0.12	0.12	0.11	0.13	0.13
Nonmedical Use of Psychotherapeutics ^{2,3}	0.31	0.33	0.34	0.33	0.36	0.34	0.34	0.35	0.33
Pain Relievers	0.28	0.30	0.29	0.30	0.31	0.30	0.30	0.30	0.29
OxyContin [®]	--	--	0.11	0.11	0.12	0.11	0.11	0.13	0.13
Tranquilizers	0.18	0.21	0.20	0.21	0.23	0.21	0.21	0.21	0.21
Stimulants ³	0.18	0.18	0.20	0.18	0.19	0.19	0.16	0.18	0.17
Methamphetamine ³	0.13	0.12	0.13	0.13	0.12	0.11	0.08	0.09	0.08
Sedatives	0.06	0.06	0.06	0.07	0.07	0.06	0.07	0.06	0.06
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.37	0.40	0.39	0.37	0.39	0.38	0.37	0.39	0.38

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.8P Types of Illicit Drug Use in the Past Year among Persons Aged 18 to 25: P Values from Tests of Differences of Percentages, 2010 Versus 2002-2009

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	0.5243	0.5265	0.0982	0.2278	0.3368	0.0068	0.0198	0.1280	
Marijuana and Hashish	0.9445	0.0483	0.0034	0.0059	0.0074	0.0004	0.0007	0.2441	
Cocaine	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0020	0.0238	
Crack	0.0006	0.0004	0.0025	0.0000	0.0003	0.0139	0.1568	0.8751	
Heroin	0.0134	0.0002	0.0044	0.1911	0.0599	0.0546	0.0671	0.2937	
Hallucinogens	0.0005	0.2073	0.0021	0.0271	0.1176	0.0185	0.0414	0.8521	
LSD	0.3341	0.0009	0.0001	0.0003	0.0071	0.0048	0.6901	0.7045	
PCP	0.0002	0.0001	0.0006	0.1043	0.0124	0.1099	0.7461	0.9781	
Ecstasy	0.0000	0.0050	0.0000	0.0000	0.0200	0.0016	0.0673	0.7666	
Inhalants	0.0095	0.0477	0.0456	0.0343	0.8492	0.4844	0.5097	0.4673	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.8585	0.4619	0.1667	0.0741	0.0053	0.1083	0.2790	0.1416	
Pain Relievers	0.3846	0.0285	0.0394	0.0013	0.0016	0.0091	0.0289	0.0410	
OxyContin [®]	--	--	0.0087	0.0044	0.0162	0.0072	0.0283	0.6865	
Tranquilizers	0.1644	0.8718	0.7258	0.3566	0.5257	0.8336	0.7927	0.8147	
Stimulants ³	0.1596	0.5324	0.1846	0.4079	0.0237	0.5441	0.2933	0.9236	
Methamphetamine ³	0.0000	0.0000	0.0000	0.0000	0.0000	0.0008	0.7453	0.3593	
Sedatives	0.5766	0.8412	0.7293	0.2135	0.3208	0.5793	0.5449	0.9857	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0041	0.0573	0.3001	0.0274	0.0056	0.1417	0.6846	0.0379	

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.9C Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25: Standard Errors of Numbers in Thousands, 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	116	128	130	130	122	127	127	134	135
Marijuana and Hashish	110	116	119	121	115	120	121	126	129
Cocaine	37	42	43	47	41	38	39	36	39
Crack	9	13	13	16	13	11	11	11	16
Heroin	10	7	9	10	12	11	14	12	17
Hallucinogens	38	37	33	36	43	35	39	46	48
LSD	8	13	14	12	12	12	15	16	17
PCP	6	10	5	5	6	6	3	3	3
Ecstasy	31	23	23	26	34	24	31	33	37
Inhalants	18	19	18	21	17	19	18	21	21
Nonmedical Use of Psychotherapeutics ^{2,3}	60	71	69	72	76	69	70	73	72
Pain Relievers	51	61	60	61	65	60	61	61	63
OxyContin [®]	--	--	19	19	17	18	16	19	24
Tranquilizers	35	36	38	40	43	39	40	39	39
Stimulants ³	31	30	34	37	34	31	29	34	35
Methamphetamine ³	21	21	24	27	20	18	14	15	17
Sedatives	9	11	10	15	13	13	15	17	12
ILLCIT DRUGS OTHER THAN MARIJUANA¹	75	82	82	87	89	82	81	88	84

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.9D Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25: Standard Errors of Percentages, 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	0.37	0.40	0.40	0.40	0.37	0.39	0.38	0.40	0.40
Marijuana and Hashish	0.36	0.37	0.37	0.37	0.35	0.37	0.37	0.37	0.38
Cocaine	0.12	0.13	0.13	0.15	0.12	0.12	0.12	0.11	0.11
Crack	0.03	0.04	0.04	0.05	0.04	0.03	0.03	0.03	0.05
Heroin	0.03	0.02	0.03	0.03	0.04	0.03	0.04	0.03	0.05
Hallucinogens	0.12	0.12	0.10	0.11	0.13	0.11	0.12	0.14	0.14
LSD	0.03	0.04	0.04	0.04	0.04	0.04	0.04	0.05	0.05
PCP	0.02	0.03	0.02	0.02	0.02	0.02	0.01	0.01	0.01
Ecstasy	0.10	0.07	0.07	0.08	0.10	0.07	0.09	0.10	0.11
Inhalants	0.06	0.06	0.06	0.06	0.05	0.06	0.05	0.06	0.06
Nonmedical Use of Psychotherapeutics ^{2,3}	0.19	0.22	0.21	0.22	0.23	0.21	0.21	0.22	0.21
Pain Relievers	0.16	0.19	0.19	0.19	0.20	0.18	0.18	0.18	0.19
OxyContin [®]	--	--	0.06	0.06	0.05	0.06	0.05	0.06	0.07
Tranquilizers	0.11	0.11	0.12	0.12	0.13	0.12	0.12	0.12	0.11
Stimulants ³	0.10	0.10	0.11	0.11	0.10	0.10	0.09	0.10	0.10
Methamphetamine ³	0.07	0.07	0.07	0.08	0.06	0.06	0.04	0.05	0.05
Sedatives	0.03	0.04	0.03	0.05	0.04	0.04	0.05	0.05	0.03
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.24	0.26	0.26	0.27	0.27	0.25	0.25	0.26	0.25

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.9P Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25: P Values from Tests of Differences of Percentages, 2010 Versus 2002-2009

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	0.0161	0.0303	0.0002	0.0140	0.0020	0.0019	0.0006	0.5823	
Marijuana and Hashish	0.0284	0.0061	0.0000	0.0003	0.0000	0.0001	0.0002	0.4792	
Cocaine	0.0005	0.0000	0.0001	0.0000	0.0000	0.0734	0.6203	0.6172	
Crack	0.4642	0.5460	0.5217	0.1073	0.8777	0.4918	0.3811	0.1037	
Heroin	0.0208	0.0007	0.0229	0.1757	0.1141	0.0518	0.5408	0.2651	
Hallucinogens	0.6809	0.1595	0.0046	0.0180	0.1724	0.0029	0.0991	0.4801	
LSD	0.0007	0.1436	0.4480	0.0501	0.0353	0.1364	0.8325	0.7451	
PCP	0.1143	0.0184	0.0542	0.2896	0.1861	0.1275	0.9013	0.9498	
Ecstasy	0.7516	0.0003	0.0003	0.0069	0.1783	0.0001	0.0643	0.6390	
Inhalants	0.2952	0.7616	0.5368	0.5234	0.9896	0.9957	0.3242	0.6103	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.1562	0.5620	0.3763	0.1637	0.0594	0.8001	0.9438	0.1456	
Pain Relievers	0.1167	0.4008	0.4125	0.3083	0.0695	0.5002	0.6916	0.2215	
OxyContin [®]	--	--	0.0063	0.0079	0.0028	0.0160	0.0005	0.0561	
Tranquilizers	0.5798	0.9773	0.5520	0.2182	0.0654	0.6229	0.6803	0.2831	
Stimulants ³	0.4213	0.5076	0.0543	0.1100	0.1772	0.3545	0.2796	0.7326	
Methamphetamine ³	0.0000	0.0000	0.0000	0.0000	0.0000	0.1452	0.7508	0.9600	
Sedatives	0.8396	0.7361	0.7335	0.2963	0.9873	0.3359	0.6232	0.1640	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.9375	0.2118	0.6111	0.0278	0.0103	0.7379	0.7641	0.2996	

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.10C Types of Illicit Drug Use in Lifetime among Persons Aged 26 or Older: Standard Errors of Numbers in Thousands, 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	935	874	928	903	853	933	898	935	992
Marijuana and Hashish	888	831	875	887	862	919	887	909	989
Cocaine	574	552	621	580	634	654	657	646	663
Crack	303	257	274	283	321	336	317	314	370
Heroin	220	201	188	223	235	236	221	217	243
Hallucinogens	572	549	583	573	613	614	632	644	654
LSD	496	469	494	499	508	539	542	556	550
PCP	282	262	292	284	289	293	337	292	317
Ecstasy	247	255	286	294	322	317	319	351	396
Inhalants	457	407	448	436	445	487	467	463	458
Nonmedical Use of Psychotherapeutics ^{2,3}	715	629	706	693	663	659	732	702	752
Pain Relievers	539	477	529	527	496	524	568	543	578
OxyContin [®]	103	125	120	120	151	164	172	204	224
Tranquilizers	481	414	471	460	452	452	483	470	479
Stimulants ³	495	456	480	474	480	458	537	493	539
Methamphetamine ³	402	392	394	361	396	359	397	393	438
Sedatives	366	316	396	344	346	356	395	349	353
ILLCIT DRUGS OTHER THAN MARIJUANA¹	789	728	788	797	770	827	828	845	865

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.10D Types of Illicit Drug Use in Lifetime among Persons Aged 26 or Older: Standard Errors of Percentages, 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	0.52	0.48	0.51	0.49	0.45	0.49	0.47	0.48	0.51
Marijuana and Hashish	0.50	0.46	0.48	0.48	0.46	0.48	0.46	0.47	0.51
Cocaine	0.32	0.30	0.34	0.31	0.34	0.34	0.34	0.33	0.34
Crack	0.17	0.14	0.15	0.15	0.17	0.18	0.17	0.16	0.19
Heroin	0.12	0.11	0.10	0.12	0.12	0.12	0.12	0.11	0.12
Hallucinogens	0.32	0.30	0.32	0.31	0.33	0.32	0.33	0.33	0.33
LSD	0.28	0.26	0.27	0.27	0.27	0.28	0.28	0.29	0.28
PCP	0.16	0.14	0.16	0.15	0.15	0.15	0.18	0.15	0.16
Ecstasy	0.14	0.14	0.16	0.16	0.17	0.17	0.17	0.18	0.20
Inhalants	0.25	0.22	0.24	0.24	0.24	0.26	0.24	0.24	0.23
Nonmedical Use of Psychotherapeutics ^{2,3}	0.40	0.35	0.39	0.37	0.35	0.35	0.38	0.36	0.39
Pain Relievers	0.30	0.26	0.29	0.28	0.26	0.28	0.30	0.28	0.30
OxyContin [®]	0.06	0.07	0.07	0.06	0.08	0.09	0.09	0.11	0.11
Tranquilizers	0.27	0.23	0.26	0.25	0.24	0.24	0.25	0.24	0.25
Stimulants ³	0.28	0.25	0.26	0.26	0.26	0.24	0.28	0.25	0.28
Methamphetamine ³	0.22	0.22	0.22	0.19	0.21	0.19	0.21	0.20	0.22
Sedatives	0.20	0.17	0.22	0.19	0.18	0.19	0.21	0.18	0.18
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.44	0.40	0.43	0.43	0.41	0.44	0.43	0.44	0.44

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.10P Types of Illicit Drug Use in Lifetime among Persons Aged 26 or Older: P Values from Tests of Differences of Percentages, 2010 Versus 2002-2009

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	0.0014	0.0045	0.0005	0.0119	0.0002	0.0752	0.9208	0.7204	
Marijuana and Hashish	0.0003	0.0018	0.0005	0.0009	0.0000	0.0589	0.2321	0.3279	
Cocaine	0.1373	0.5661	0.0580	0.0034	0.0854	0.2762	0.8138	0.3582	
Crack	0.2733	0.0172	0.0106	0.0121	0.1600	0.3160	0.1857	0.1000	
Heroin	0.7397	0.8140	0.0150	0.3084	0.6967	0.6554	0.6434	0.2416	
Hallucinogens	0.0041	0.0055	0.0168	0.0010	0.1136	0.0063	0.5328	0.9163	
LSD	0.6727	0.7836	0.5455	0.1152	0.9225	0.7228	0.4596	0.6482	
PCP	0.0082	0.1100	0.2676	0.5529	0.4402	0.8271	0.4157	0.9516	
Ecstasy	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0036	
Inhalants	0.4920	0.4022	0.7019	0.6442	0.3843	0.4268	0.4035	0.5054	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.7536	0.8794	0.5129	0.4495	0.9462	0.5847	0.3811	0.8522	
Pain Relievers	0.0011	0.0143	0.0149	0.0738	0.1648	0.0920	0.5870	0.7337	
OxyContin [®]	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0038	0.4554	
Tranquilizers	0.3753	0.7068	0.2533	0.8286	0.9836	0.0824	0.8912	1.0000	
Stimulants ³	0.0006	0.0099	0.1646	0.3590	0.3540	0.7557	0.7396	0.6583	
Methamphetamine ³	0.0003	0.0008	0.0477	0.1490	0.2499	0.7257	0.4510	0.6405	
Sedatives	0.0000	0.0000	0.0000	0.0025	0.0115	0.1055	0.0139	0.0583	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0416	0.0332	0.0033	0.0199	0.0288	0.1377	0.8029	0.7262	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.11C Types of Illicit Drug Use in the Past Year among Persons Aged 26 or Older: Standard Errors of Numbers in Thousands, 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	514	489	473	493	493	528	497	527	572
Marijuana and Hashish	407	387	395	418	409	417	421	470	487
Cocaine	200	207	180	180	210	222	192	191	182
Crack	121	120	112	109	132	120	91	104	88
Heroin	52	45	52	36	83	49	54	83	70
Hallucinogens	109	109	132	112	113	105	95	122	129
LSD	35	28	29	31	43	42	28	32	47
PCP	16	6	18	10	34	11	*	17	20
Ecstasy	93	86	97	98	81	85	69	104	90
Inhalants	66	54	69	65	86	88	101	88	100
Nonmedical Use of Psychotherapeutics ^{2,3}	345	335	313	315	323	345	311	329	364
Pain Relievers	275	275	265	274	272	289	260	291	305
OxyContin [®]	--	--	61	69	82	85	79	92	103
Tranquilizers	210	175	189	189	180	207	183	202	195
Stimulants ³	129	115	136	114	163	129	104	131	132
Methamphetamine ³	99	91	116	89	131	102	69	96	93
Sedatives	113	81	69	69	94	88	54	74	102
ILLCIT DRUGS OTHER THAN MARIJUANA¹	384	375	364	354	366	406	364	376	398

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.11D Types of Illicit Drug Use in the Past Year among Persons Aged 26 or Older: Standard Errors of Percentages, 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLICIT DRUGS¹	0.29	0.27	0.26	0.27	0.26	0.28	0.26	0.27	0.29
Marijuana and Hashish	0.23	0.21	0.22	0.23	0.22	0.22	0.22	0.24	0.25
Cocaine	0.11	0.11	0.10	0.10	0.11	0.12	0.10	0.10	0.09
Crack	0.07	0.07	0.06	0.06	0.07	0.06	0.05	0.05	0.05
Heroin	0.03	0.02	0.03	0.02	0.04	0.03	0.03	0.04	0.04
Hallucinogens	0.06	0.06	0.07	0.06	0.06	0.06	0.05	0.06	0.07
LSD	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.02	0.02
PCP	0.01	0.00	0.01	0.01	0.02	0.01	*	0.01	0.01
Ecstasy	0.05	0.05	0.05	0.05	0.04	0.04	0.04	0.05	0.05
Inhalants	0.04	0.03	0.04	0.03	0.05	0.05	0.05	0.05	0.05
Nonmedical Use of Psychotherapeutics ^{2,3}	0.19	0.18	0.17	0.17	0.17	0.18	0.16	0.17	0.19
Pain Relievers	0.15	0.15	0.14	0.15	0.14	0.15	0.14	0.15	0.16
OxyContin [®]	--	--	0.03	0.04	0.04	0.04	0.04	0.05	0.05
Tranquilizers	0.12	0.10	0.10	0.10	0.10	0.11	0.10	0.10	0.10
Stimulants ³	0.07	0.06	0.07	0.06	0.09	0.07	0.05	0.07	0.07
Methamphetamine ³	0.06	0.05	0.06	0.05	0.07	0.05	0.04	0.05	0.05
Sedatives	0.06	0.04	0.04	0.04	0.05	0.05	0.03	0.04	0.05
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.21	0.21	0.20	0.19	0.19	0.21	0.19	0.19	0.20

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.11P Types of Illicit Drug Use in the Past Year among Persons Aged 26 or Older: P Values from Tests of Differences of Percentages, 2010 Versus 2002-2009

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	0.0206	0.0067	0.0024	0.0029	0.0162	0.0609	0.0076	0.2322	
Marijuana and Hashish	0.0036	0.0005	0.0024	0.0014	0.0004	0.0002	0.0017	0.3651	
Cocaine	0.0013	0.0010	0.0169	0.2283	0.0025	0.0232	0.0595	0.6481	
Crack	0.0001	0.0050	0.0136	0.0092	0.0027	0.0011	0.1226	0.2803	
Heroin	0.1520	0.0311	0.1378	0.0206	0.9228	0.0454	0.2193	0.8656	
Hallucinogens	0.7792	0.2084	0.6420	0.2625	0.4040	0.1796	0.0037	0.8720	
LSD	0.3939	0.0383	0.2171	0.0836	0.9215	0.2683	0.1594	0.2514	
PCP	0.7103	0.6340	0.5532	0.9529	0.4617	0.9589	*	0.5324	
Ecstasy	0.0908	0.9603	0.7956	0.6512	0.5663	0.9144	0.1105	0.0558	
Inhalants	0.0851	0.0358	0.3322	0.1302	0.9492	0.9087	0.9168	0.7145	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.2611	0.3513	0.0380	0.2324	0.7088	0.6461	0.0854	0.7014	
Pain Relievers	0.0477	0.2366	0.0165	0.1794	0.8034	0.8488	0.2358	0.8498	
OxyContin [®]	--	--	0.0010	0.0022	0.0168	0.0679	0.0666	0.1849	
Tranquilizers	0.3037	0.2337	0.3574	0.4449	0.1122	0.5722	0.1244	0.7599	
Stimulants ³	0.1423	0.8920	0.2312	0.6489	0.0049	0.4049	0.3520	0.3170	
Methamphetamine ³	0.0079	0.0281	0.0016	0.0219	0.0003	0.0761	0.4144	0.1555	
Sedatives	0.5042	0.7252	0.1920	0.1758	0.8676	0.7883	0.0109	0.3949	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.5930	0.8934	0.2864	0.4665	0.3719	0.2090	0.5065	0.7808	

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.12C Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older: Standard Errors of Numbers in Thousands, 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLICIT DRUGS¹	353	363	366	395	376	394	393	401	441
Marijuana and Hashish	279	284	312	323	310	308	341	340	362
Cocaine	119	137	110	129	147	143	122	128	99
Crack	66	90	64	85	101	78	54	77	58
Heroin	40	26	35	15	76	34	37	36	40
Hallucinogens	67	54	44	73	51	63	53	77	61
LSD	11	8	13	7	20	30	*	13	*
PCP	13	*	15	10	*	10	*	17	20
Ecstasy	53	46	37	34	36	49	38	61	44
Inhalants	56	32	55	48	64	58	65	48	77
Nonmedical Use of Psychotherapeutics ^{2,3}	216	243	190	218	221	237	205	229	252
Pain Relievers	172	193	152	179	198	199	178	199	196
OxyContin [®]	--	--	28	31	30	50	56	55	62
Tranquilizers	127	112	91	109	105	124	108	126	131
Stimulants ³	85	93	87	69	97	86	66	91	76
Methamphetamine ³	71	77	67	56	77	76	49	65	49
Sedatives	63	53	47	44	67	67	32	52	72
ILLICIT DRUGS OTHER THAN MARIJUANA¹	259	274	226	257	256	288	242	264	278

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.12D Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older: Standard Errors of Percentages, 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	0.20	0.20	0.20	0.21	0.20	0.21	0.20	0.21	0.23
Marijuana and Hashish	0.16	0.16	0.17	0.17	0.17	0.16	0.18	0.18	0.19
Cocaine	0.07	0.08	0.06	0.07	0.08	0.08	0.06	0.07	0.05
Crack	0.04	0.05	0.03	0.05	0.05	0.04	0.03	0.04	0.03
Heroin	0.02	0.01	0.02	0.01	0.04	0.02	0.02	0.02	0.02
Hallucinogens	0.04	0.03	0.02	0.04	0.03	0.03	0.03	0.04	0.03
LSD	0.01	0.00	0.01	0.00	0.01	0.02	*	0.01	*
PCP	0.01	*	0.01	0.01	*	0.01	*	0.01	0.01
Ecstasy	0.03	0.03	0.02	0.02	0.02	0.03	0.02	0.03	0.02
Inhalants	0.03	0.02	0.03	0.03	0.03	0.03	0.03	0.02	0.04
Nonmedical Use of Psychotherapeutics ^{2,3}	0.12	0.13	0.10	0.12	0.12	0.12	0.11	0.12	0.13
Pain Relievers	0.10	0.11	0.08	0.10	0.11	0.11	0.09	0.10	0.10
OxyContin [®]	--	--	0.02	0.02	0.02	0.03	0.03	0.03	0.03
Tranquilizers	0.07	0.06	0.05	0.06	0.06	0.07	0.06	0.07	0.07
Stimulants ³	0.05	0.05 ³	0.05	0.04	0.05	0.05	0.03	0.05	0.04
Methamphetamine ³	0.04	0.04	0.04	0.03	0.04	0.04	0.03	0.03	0.03
Sedatives	0.04	0.03	0.03	0.02	0.04	0.04	0.02	0.03	0.04
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.14	0.15	0.12	0.14	0.14	0.15	0.13	0.14	0.14

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.12P Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older: P Values from Tests of Differences of Percentages, 2010 Versus 2002-2009

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	0.0089	0.0023	0.0007	0.0065	0.0887	0.0118	0.0190	0.3940	
Marijuana and Hashish	0.0020	0.0024	0.0073	0.0050	0.0161	0.0004	0.0336	0.4448	
Cocaine	0.0067	0.0004	0.0150	0.0005	0.0001	0.0033	0.0218	0.2126	
Crack	0.0134	0.0249	0.3071	0.0101	0.0057	0.0116	0.9848	0.1408	
Heroin	0.7986	0.2272	0.6383	0.0783	0.1169	0.5076	0.8047	0.6525	
Hallucinogens	0.5053	0.4550	0.4185	0.4249	0.5542	0.6920	0.5727	0.2688	
LSD	*	*	*	*	*	*	*	*	
PCP	0.9279	*	0.9506	0.8918	*	0.7989	*	0.6464	
Ecstasy	0.4951	0.9452	0.8132	0.9416	0.4882	0.4707	0.7780	0.1704	
Inhalants	0.3681	0.0547	0.3298	0.1626	0.8834	0.3611	0.8812	0.1860	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.3550	0.2384	0.0125	0.1773	0.8601	0.9840	0.0517	0.6778	
Pain Relievers	0.1008	0.1891	0.0076	0.1221	0.8489	0.7194	0.3364	0.8394	
OxyContin [®]	--	--	0.0246	0.0856	0.0156	0.1754	0.8199	0.8825	
Tranquilizers	0.2245	0.0949	0.0017	0.0454	0.0115	0.0580	0.0370	0.2543	
Stimulants ³	0.1214	0.1774	0.2537	0.8674	0.0714	0.7947	0.2810	0.1173	
Methamphetamine ³	0.0159	0.0092	0.0153	0.1764	0.0043	0.1123	0.6663	0.0833	
Sedatives	0.3732	0.3955	0.3663	0.2318	0.8736	0.7228	0.0667	0.7053	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.7661	0.8643	0.0889	0.7994	0.2140	0.3412	0.5006	0.8472	

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.13C Types of Illicit Drug Use in Lifetime among Persons Aged 18 or Older: Standard Errors of Numbers in Thousands, 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	963	902	965	937	894	964	925	965	1,020
Marijuana and Hashish	915	865	918	924	902	951	914	944	1,018
Cocaine	584	564	635	597	655	659	670	653	680
Crack	307	263	280	293	328	339	322	316	377
Heroin	222	204	193	227	238	239	223	220	248
Hallucinogens	599	584	613	608	642	636	645	663	684
LSD	513	494	504	521	520	548	548	563	559
PCP	281	270	297	288	294	297	338	296	321
Ecstasy	296	281	326	334	354	344	342	370	427
Inhalants	472	435	471	456	466	496	482	470	468
Nonmedical Use of Psychotherapeutics ^{2,3}	737	648	731	721	695	691	756	731	777
Pain Relievers	565	510	559	560	532	557	593	576	604
OxyContin [®]	114	140	133	139	164	177	187	218	241
Tranquilizers	493	433	484	478	476	466	502	488	491
Stimulants ³	508	472	497	492	501	470	545	506	553
Methamphetamine ³	414	403	400	375	411	366	401	403	448
Sedatives	370	322	399	346	351	359	400	352	354
ILLCIT DRUGS OTHER THAN MARIJUANA¹	813	748	820	831	804	854	855	871	893

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.13D Types of Illicit Drug Use in Lifetime among Persons Aged 18 or Older: Standard Errors of Percentages, 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	0.46	0.42	0.45	0.43	0.41	0.43	0.41	0.42	0.45
Marijuana and Hashish	0.44	0.41	0.43	0.42	0.41	0.43	0.41	0.42	0.44
Cocaine	0.28	0.27	0.30	0.27	0.30	0.30	0.30	0.29	0.30
Crack	0.15	0.12	0.13	0.13	0.15	0.15	0.14	0.14	0.16
Heroin	0.11	0.10	0.09	0.10	0.11	0.11	0.10	0.10	0.11
Hallucinogens	0.28	0.27	0.28	0.28	0.29	0.29	0.29	0.29	0.30
LSD	0.24	0.23	0.23	0.24	0.24	0.25	0.24	0.25	0.24
PCP	0.13	0.13	0.14	0.13	0.13	0.13	0.15	0.13	0.14
Ecstasy	0.14	0.13	0.15	0.15	0.16	0.15	0.15	0.16	0.19
Inhalants	0.22	0.20	0.22	0.21	0.21	0.22	0.21	0.21	0.20
Nonmedical Use of Psychotherapeutics ^{2,3}	0.35	0.30	0.34	0.33	0.32	0.31	0.34	0.32	0.34
Pain Relievers	0.27	0.24	0.26	0.26	0.24	0.25	0.26	0.25	0.26
OxyContin [®]	0.05	0.07	0.06	0.06	0.07	0.08	0.08	0.10	0.11
Tranquilizers	0.23	0.20	0.22	0.22	0.22	0.21	0.22	0.21	0.21
Stimulants ³	0.24	0.22	0.23	0.23	0.23	0.21	0.24	0.22	0.24
Methamphetamine ³	0.20	0.19	0.19	0.17	0.19	0.16	0.18	0.18	0.20
Sedatives	0.18	0.15	0.19	0.16	0.16	0.16	0.18	0.15	0.15
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.39	0.35	0.38	0.38	0.36	0.38	0.38	0.38	0.39

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.13P Types of Illicit Drug Use in Lifetime among Persons Aged 18 or Older: P Values from Tests of Differences of Percentages, 2010 Versus 2002-2009

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	0.0137	0.0573	0.0046	0.0558	0.0017	0.0978	0.8236	0.9300	
Marijuana and Hashish	0.0034	0.0200	0.0035	0.0038	0.0003	0.0528	0.1722	0.4965	
Cocaine	0.5017	0.9435	0.2392	0.0296	0.4197	0.6440	0.8710	0.7268	
Crack	0.8111	0.1385	0.0661	0.0743	0.4952	0.4780	0.2413	0.1539	
Heroin	0.5941	0.6958	0.0117	0.2077	0.5517	0.4775	0.3953	0.2214	
Hallucinogens	0.5050	0.4001	0.2235	0.0311	0.3855	0.0207	0.3947	0.9189	
LSD	0.0003	0.0003	0.0542	0.7825	0.2326	0.9579	0.4171	0.5115	
PCP	0.0002	0.0037	0.0646	0.1983	0.2030	0.9359	0.3025	0.9735	
Ecstasy	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0064	
Inhalants	0.0005	0.0007	0.0144	0.0252	0.0324	0.1429	0.2919	0.2972	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.6534	0.9011	0.7613	0.9496	0.5500	0.8702	0.3300	0.7397	
Pain Relievers	0.0001	0.0194	0.0368	0.3426	0.5423	0.2181	0.4768	0.6075	
OxyContin [®]	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.4412	
Tranquilizers	0.0758	0.4369	0.1195	0.9491	0.9855	0.0511	0.7592	0.8555	
Stimulants ³	0.0000	0.0008	0.0315	0.9628	0.0990	0.5553	0.8040	0.5764	
Methamphetamine ³	0.0000	0.0000	0.0003	0.8177	0.0154	0.5158	0.7318	0.8815	
Sedatives	0.0000	0.0000	0.0000	0.0006	0.0048	0.0566	0.0104	0.0434	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.3392	0.3562	0.0445	0.1783	0.2371	0.3730	0.7451	0.9371	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.14C Types of Illicit Drug Use in the Past Year among Persons Aged 18 or Older: Standard Errors of Numbers in Thousands, 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	565	540	519	541	547	592	547	585	631
Marijuana and Hashish	459	437	437	463	465	484	467	527	546
Cocaine	217	225	202	202	228	239	207	209	201
Crack	124	122	115	114	133	123	94	106	91
Heroin	54	47	55	42	85	52	58	85	75
Hallucinogens	144	140	147	140	142	134	124	151	169
LSD	58	41	41	45	55	53	46	52	68
PCP	21	20	25	15	37	16	10	19	23
Ecstasy	122	101	108	111	101	104	92	123	121
Inhalants	80	66	78	79	93	96	107	100	108
Nonmedical Use of Psychotherapeutics ^{2,3}	368	356	341	345	353	377	346	360	390
Pain Relievers	293	298	289	300	298	312	289	318	329
OxyContin [®]	--	--	72	80	90	93	87	102	113
Tranquilizers	219	192	203	206	193	219	198	218	206
Stimulants ³	147	133	153	130	177	150	120	145	154
Methamphetamine ³	110	99	125	97	136	113	74	100	103
Sedatives	115	83	70	73	98	92	59	78	103
ILLCIT DRUGS OTHER THAN MARIJUANA¹	415	408	399	393	404	443	401	412	433

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.14D Types of Illicit Drug Use in the Past Year among Persons Aged 18 or Older: Standard Errors of Percentages, 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	0.27	0.25	0.24	0.25	0.25	0.27	0.24	0.26	0.28
Marijuana and Hashish	0.22	0.21	0.20	0.21	0.21	0.22	0.21	0.23	0.24
Cocaine	0.10	0.11	0.09	0.09	0.10	0.11	0.09	0.09	0.09
Crack	0.06	0.06	0.05	0.05	0.06	0.06	0.04	0.05	0.04
Heroin	0.03	0.02	0.03	0.02	0.04	0.02	0.03	0.04	0.03
Hallucinogens	0.07	0.07	0.07	0.06	0.06	0.06	0.05	0.07	0.07
LSD	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.03
PCP	0.01	0.01	0.01	0.01	0.02	0.01	0.00	0.01	0.01
Ecstasy	0.06	0.05	0.05	0.05	0.05	0.05	0.04	0.05	0.05
Inhalants	0.04	0.03	0.04	0.04	0.04	0.04	0.05	0.04	0.05
Nonmedical Use of Psychotherapeutics ^{2,3}	0.17	0.17	0.16	0.16	0.16	0.17	0.15	0.16	0.17
Pain Relievers	0.14	0.14	0.13	0.14	0.13	0.14	0.13	0.14	0.14
OxyContin [®]	--	--	0.03	0.04	0.04	0.04	0.04	0.04	0.05
Tranquilizers	0.10	0.09	0.09	0.09	0.09	0.10	0.09	0.10	0.09
Stimulants ³	0.07	0.06	0.07	0.06	0.08	0.07	0.05	0.06	0.07
Methamphetamine ³	0.05	0.05	0.06	0.04	0.06	0.05	0.03	0.04	0.04
Sedatives	0.05	0.04	0.03	0.03	0.04	0.04	0.03	0.03	0.04
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.20	0.19	0.19	0.18	0.18	0.20	0.18	0.18	0.19

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.14P Types of Illicit Drug Use in the Past Year among Persons Aged 18 or Older: P Values from Tests of Differences of Percentages, 2010 Versus 2002-2009

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	0.0442	0.0095	0.0016	0.0028	0.0142	0.0123	0.0015	0.4601	
Marijuana and Hashish	0.0072	0.0003	0.0003	0.0003	0.0001	0.0000	0.0001	0.5946	
Cocaine	0.0000	0.0000	0.0000	0.0002	0.0000	0.0001	0.0061	0.2466	
Crack	0.0000	0.0005	0.0022	0.0003	0.0002	0.0002	0.0709	0.3043	
Heroin	0.0302	0.0013	0.0218	0.0083	0.6825	0.0114	0.0736	0.8991	
Hallucinogens	0.1039	0.1063	0.0557	0.0438	0.1382	0.0145	0.0003	0.8635	
LSD	0.9376	0.0003	0.0007	0.0003	0.0703	0.0081	0.2019	0.2836	
PCP	0.0166	0.0109	0.0122	0.3961	0.0975	0.3966	0.4012	0.5860	
Ecstasy	0.0002	0.1244	0.0050	0.0214	0.0745	0.0504	0.0159	0.1892	
Inhalants	0.6999	0.3617	0.9538	0.7041	0.9887	0.8357	0.7029	0.9726	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.2942	0.5247	0.1439	0.5956	0.2224	0.4138	0.1801	0.9553	
Pain Relievers	0.1018	0.6997	0.1252	0.8427	0.2086	0.3734	0.6275	0.6633	
OxyContin [®]	--	--	0.0001	0.0001	0.0018	0.0067	0.0103	0.2755	
Tranquilizers	0.1545	0.3009	0.3396	0.7047	0.2121	0.5162	0.1573	0.8163	
Stimulants ³	0.0748	0.7003	0.1064	0.4566	0.0008	0.6668	0.1996	0.3715	
Methamphetamine ³	0.0000	0.0000	0.0000	0.0000	0.0000	0.0106	0.5029	0.1189	
Sedatives	0.4522	0.7624	0.2290	0.3079	0.7050	0.8808	0.0198	0.4115	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.2035	0.4622	0.5431	0.9365	0.0924	0.1326	0.5548	0.3946	

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.15C Types of Illicit Drug Use in the Past Month among Persons Aged 18 or Older: Standard Errors of Numbers in Thousands, 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	379	396	404	430	415	441	423	447	482
Marijuana and Hashish	313	317	349	357	350	353	374	384	401
Cocaine	126	146	119	141	152	149	130	135	106
Crack	67	91	66	87	101	80	55	77	60
Heroin	41	27	36	18	77	36	39	38	43
Hallucinogens	78	68	55	82	68	72	65	89	80
LSD	13	15	22	14	23	32	16	21	17
PCP	14	11	16	11	7	11	*	17	21
Ecstasy	62	53	45	43	50	54	50	66	58
Inhalants	59	37	58	52	66	62	67	52	80
Nonmedical Use of Psychotherapeutics ^{2,3}	227	255	206	232	236	249	222	246	265
Pain Relievers	182	205	164	191	210	212	193	212	211
OxyContin [®]	--	--	35	38	35	53	57	58	67
Tranquilizers	133	116	102	116	114	128	118	134	137
Stimulants ³	92	100	96	79	103	93	73	97	84
Methamphetamine ³	75	80	75	60	79	79	52	67	53
Sedatives	64	54	48	46	68	68	36	55	72
ILLCIT DRUGS OTHER THAN MARIJUANA¹	270	286	247	278	275	303	259	287	295

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.15D Types of Illicit Drug Use in the Past Month among Persons Aged 18 or Older: Standard Errors of Percentages, 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	0.18	0.19	0.19	0.20	0.19	0.20	0.19	0.20	0.21
Marijuana and Hashish	0.15	0.15	0.16	0.16	0.16	0.16	0.17	0.17	0.17
Cocaine	0.06	0.07	0.06	0.06	0.07	0.07	0.06	0.06	0.05
Crack	0.03	0.04	0.03	0.04	0.05	0.04	0.02	0.03	0.03
Heroin	0.02	0.01	0.02	0.01	0.03	0.02	0.02	0.02	0.02
Hallucinogens	0.04	0.03	0.03	0.04	0.03	0.03	0.03	0.04	0.03
LSD	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
PCP	0.01	0.01	0.01	0.01	0.00	0.01	*	0.01	0.01
Ecstasy	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.03	0.03
Inhalants	0.03	0.02	0.03	0.02	0.03	0.03	0.03	0.02	0.03
Nonmedical Use of Psychotherapeutics ^{2,3}	0.11	0.12	0.10	0.11	0.11	0.11	0.10	0.11	0.12
Pain Relievers	0.09	0.10	0.08	0.09	0.10	0.10	0.09	0.09	0.09
OxyContin [®]	--	--	0.02	0.02	0.02	0.02	0.03	0.03	0.03
Tranquilizers	0.06	0.05	0.05	0.05	0.05	0.06	0.05	0.06	0.06
Stimulants ³	0.04	0.05	0.04	0.04	0.05	0.04	0.03	0.04	0.04
Methamphetamine ³	0.04	0.04	0.03	0.03	0.04	0.04	0.02	0.03	0.02
Sedatives	0.03	0.03	0.02	0.02	0.03	0.03	0.02	0.02	0.03
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.13	0.13	0.11	0.13	0.12	0.14	0.12	0.13	0.13

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.15P Types of Illicit Drug Use in the Past Month among Persons Aged 18 or Older: P Values from Tests of Differences of Percentages, 2010 Versus 2002-2009

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	0.0015	0.0007	0.0000	0.0014	0.0133	0.0012	0.0010	0.3301	
Marijuana and Hashish	0.0003	0.0003	0.0001	0.0002	0.0003	0.0000	0.0010	0.3364	
Cocaine	0.0003	0.0000	0.0002	0.0000	0.0000	0.0010	0.0208	0.3175	
Crack	0.0236	0.0356	0.2542	0.0044	0.0055	0.0189	0.8486	0.2561	
Heroin	0.3251	0.0197	0.2319	0.0309	0.2459	0.1917	0.6398	0.4061	
Hallucinogens	0.7789	0.1689	0.0215	0.5880	0.2124	0.1730	0.1208	0.6181	
LSD	0.0203	0.4178	0.9691	0.1573	0.8499	0.7812	0.9188	0.5421	
PCP	0.7237	0.6929	0.6773	0.8843	0.6648	0.8578	*	0.6571	
Ecstasy	0.7267	0.0465	0.0212	0.1052	0.1883	0.1360	0.1565	0.3628	
Inhalants	0.5649	0.0880	0.4523	0.2511	0.8918	0.3763	0.6791	0.2684	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.1989	0.3415	0.0395	0.3926	0.4696	0.9883	0.0649	0.9902	
Pain Relievers	0.0440	0.3356	0.0293	0.2623	0.4606	0.6172	0.4144	0.6058	
OxyContin [®]	--	--	0.0016	0.0097	0.0008	0.0328	0.1661	0.4139	
Tranquilizers	0.1854	0.1095	0.0064	0.1285	0.0741	0.0954	0.0603	0.4378	
Stimulants ³	0.0885	0.1374	0.0733	0.3950	0.0305	0.8980	0.1410	0.1176	
Methamphetamine ³	0.0005	0.0002	0.0002	0.0017	0.0001	0.0598	0.6155	0.0975	
Sedatives	0.3958	0.4383	0.3420	0.3544	0.8781	0.8603	0.0929	0.9531	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.8199	0.8330	0.1622	0.6296	0.0556	0.3456	0.4337	0.6506	

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.16C Types of Illicit Drug Use in Lifetime among Males Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	75	71	67	75	74	73	68	73	73
Marijuana and Hashish	64	63	61	64	63	64	58	64	66
Cocaine	26	24	24	24	21	23	18	21	21
Crack	11	13	10	9	10	8	7	7	9
Heroin	7	8	9	7	7	8	10	6	7
Hallucinogens	35	33	32	31	30	31	30	32	31
LSD	25	19	17	18	16	13	15	16	15
PCP	13	13	13	14	11	10	9	9	7
Ecstasy	27	21	20	17	19	21	20	25	24
Inhalants	46	49	47	48	47	46	43	47	42
Nonmedical Use of Psychotherapeutics ^{2,3}	51	49	48	51	52	52	45	50	48
Pain Relievers	47	47	46	47	48	47	41	47	46
OxyContin [®]	14	16	17	14	16	17	16	20	19
Tranquilizers	27	26	22	25	23	23	24	22	25
Stimulants ³	30	27	25	27	29	23	20	21	21
Methamphetamine ³	18	17	16	18	17	12	10	11	13
Sedatives	13	16	15	16	13	13	12	14	11
ILLCIT DRUGS OTHER THAN MARIJUANA¹	63	63	61	63	61	66	56	63	60

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.16D Types of Illicit Drug Use in Lifetime among Males Aged 12 to 17: Standard Errors of Percentages, 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	0.59	0.56	0.52	0.58	0.57	0.57	0.54	0.58	0.59
Marijuana and Hashish	0.50	0.49	0.47	0.49	0.48	0.50	0.46	0.51	0.53
Cocaine	0.21	0.18	0.18	0.18	0.16	0.18	0.14	0.17	0.16
Crack	0.09	0.10	0.08	0.07	0.08	0.06	0.05	0.06	0.07
Heroin	0.05	0.06	0.07	0.06	0.05	0.06	0.08	0.05	0.06
Hallucinogens	0.27	0.26	0.25	0.24	0.23	0.24	0.23	0.26	0.25
LSD	0.20	0.15	0.13	0.14	0.12	0.10	0.12	0.13	0.12
PCP	0.10	0.10	0.10	0.11	0.08	0.08	0.07	0.07	0.05
Ecstasy	0.21	0.16	0.16	0.13	0.15	0.16	0.16	0.20	0.19
Inhalants	0.37	0.39	0.37	0.37	0.37	0.36	0.34	0.37	0.33
Nonmedical Use of Psychotherapeutics ^{2,3}	0.41	0.38	0.37	0.39	0.40	0.40	0.35	0.40	0.39
Pain Relievers	0.37	0.37	0.36	0.36	0.37	0.36	0.33	0.38	0.37
OxyContin [®]	0.11	0.12	0.13	0.11	0.12	0.13	0.12	0.16	0.16
Tranquilizers	0.21	0.20	0.17	0.19	0.18	0.18	0.19	0.17	0.20
Stimulants ³	0.24	0.21	0.19	0.21	0.22	0.18	0.16	0.17	0.17
Methamphetamine ³	0.14	0.13	0.13	0.14	0.13	0.09	0.08	0.09	0.10
Sedatives	0.10	0.13	0.12	0.12	0.10	0.10	0.10	0.11	0.09
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.50	0.50	0.47	0.49	0.47	0.51	0.44	0.50	0.48

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.16P Types of Illicit Drug Use in Lifetime among Males Aged 12 to 17: P Values from Tests of Differences of Percentages, 2010 Versus 2002-2009

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	0.0000	0.0000	0.0000	0.0042	0.0114	0.2186	0.9868	0.0182	
Marijuana and Hashish	0.0000	0.0063	0.0177	0.9931	0.6475	0.2339	0.1891	0.4972	
Cocaine	0.0000	0.0001	0.0000	0.0081	0.0469	0.0580	0.3944	0.3676	
Crack	0.0652	0.0010	0.0701	0.3382	0.2587	0.5567	0.7396	0.5427	
Heroin	0.2582	0.2826	0.0885	0.4070	0.8600	0.6424	0.2572	0.8347	
Hallucinogens	0.0000	0.0492	0.0613	0.7178	0.5554	0.2157	0.5964	0.7473	
LSD	0.0000	0.0006	0.0308	0.0307	0.9786	0.4904	0.2598	0.3799	
PCP	0.0000	0.0000	0.0000	0.0000	0.0500	0.0277	0.0140	0.1242	
Ecstasy	0.0098	0.3874	0.1714	0.0005	0.0039	0.0274	0.0904	0.9026	
Inhalants	0.0000	0.0000	0.0000	0.0000	0.0000	0.0013	0.2488	0.0648	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0000	0.0000	0.0000	0.0059	0.0000	0.0088	0.6448	0.0480	
Pain Relievers	0.0000	0.0000	0.0000	0.0859	0.0018	0.1361	0.8476	0.1055	
OxyContin [®]	0.0023	0.1056	0.3028	0.0315	0.2367	0.5247	0.2729	0.8787	
Tranquilizers	0.1301	0.0697	0.6055	0.8882	0.5047	0.7178	0.6751	0.4201	
Stimulants ³	0.0000	0.0000	0.0000	0.0002	0.0000	0.0385	0.6883	0.8873	
Methamphetamine ³	0.0009	0.0001	0.0031	0.0138	0.0357	0.8860	0.4832	0.4125	
Sedatives	0.6857	0.0159	0.0096	0.1188	0.3036	0.5496	0.4910	0.1548	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0000	0.0000	0.0000	0.0000	0.0000	0.0035	0.2474	0.0194	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.17C Types of Illicit Drug Use in Lifetime among Females Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	66	73	66	67	68	67	70	69	69
Marijuana and Hashish	59	62	59	55	57	56	59	56	56
Cocaine	24	26	24	23	23	22	25	18	18
Crack	13	10	12	10	12	10	10	6	6
Heroin	12	8	8	6	9	7	8	6	6
Hallucinogens	34	35	31	29	29	28	29	30	31
LSD	22	18	16	14	13	12	14	12	15
PCP	14	14	12	12	12	9	8	10	9
Ecstasy	28	24	22	20	22	21	26	23	28
Inhalants	45	45	50	49	45	47	47	45	44
Nonmedical Use of Psychotherapeutics ^{2,3}	52	54	49	50	50	51	50	48	48
Pain Relievers	48	50	47	46	45	49	47	43	45
OxyContin [®]	16	13	16	16	18	17	17	17	19
Tranquilizers	27	28	29	27	28	27	26	25	26
Stimulants ³	35	31	29	31	30	26	31	23	25
Methamphetamine ³	22	19	20	18	21	15	20	16	13
Sedatives	17	15	15	15	14	15	14	16	13
ILLCIT DRUGS OTHER THAN MARIJUANA¹	59	66	58	61	57	60	61	58	61

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.17D Types of Illicit Drug Use in Lifetime among Females Aged 12 to 17: Standard Errors of Percentages, 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	0.54	0.60	0.54	0.54	0.54	0.54	0.58	0.57	0.58
Marijuana and Hashish	0.49	0.51	0.48	0.45	0.46	0.45	0.48	0.47	0.47
Cocaine	0.20	0.21	0.19	0.18	0.19	0.18	0.21	0.15	0.15
Crack	0.11	0.08	0.09	0.08	0.10	0.08	0.08	0.05	0.05
Heroin	0.10	0.07	0.06	0.05	0.07	0.05	0.06	0.05	0.05
Hallucinogens	0.28	0.28	0.25	0.23	0.23	0.22	0.24	0.25	0.26
LSD	0.18	0.15	0.13	0.11	0.10	0.10	0.12	0.10	0.12
PCP	0.12	0.12	0.10	0.10	0.09	0.08	0.06	0.08	0.08
Ecstasy	0.23	0.20	0.18	0.16	0.18	0.17	0.21	0.19	0.23
Inhalants	0.37	0.36	0.41	0.39	0.36	0.38	0.39	0.38	0.37
Nonmedical Use of Psychotherapeutics ^{2,3}	0.43	0.44	0.40	0.40	0.40	0.41	0.41	0.39	0.40
Pain Relievers	0.40	0.41	0.38	0.37	0.36	0.39	0.39	0.36	0.38
OxyContin [®]	0.13	0.10	0.13	0.13	0.14	0.14	0.14	0.14	0.16
Tranquilizers	0.23	0.23	0.23	0.22	0.22	0.22	0.21	0.21	0.22
Stimulants ³	0.29	0.25	0.24	0.25	0.24	0.21	0.26	0.19	0.21
Methamphetamine ³	0.18	0.16	0.16	0.15	0.17	0.12	0.16	0.13	0.11
Sedatives	0.14	0.12	0.12	0.12	0.11	0.13	0.11	0.13	0.11
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.49	0.54	0.47	0.49	0.46	0.48	0.50	0.49	0.51

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.17P Types of Illicit Drug Use in Lifetime among Females Aged 12 to 17: P Values from Tests of Differences of Percentages, 2010 Versus 2002-2009

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	0.0000	0.0000	0.0000	0.0341	0.0281	0.9082	0.1842	0.6800	
Marijuana and Hashish	0.0000	0.0000	0.0006	0.2462	0.1473	0.2426	0.9830	0.4331	
Cocaine	0.0000	0.0000	0.0019	0.0001	0.0000	0.0003	0.0125	0.6890	
Crack	0.0000	0.0003	0.0033	0.0051	0.0002	0.0017	0.0757	0.6484	
Heroin	0.0080	0.0327	0.2922	0.6845	0.3228	0.8351	0.4792	0.3518	
Hallucinogens	0.0001	0.0048	0.3679	0.5625	0.4785	0.0418	0.5519	0.7913	
LSD	0.0000	0.0012	0.2818	0.8055	0.2633	0.1965	0.6985	0.8764	
PCP	0.0000	0.0023	0.0893	0.0394	0.1194	0.9599	0.6893	0.7302	
Ecstasy	0.0157	0.8900	0.0397	0.0001	0.0215	0.0006	0.2069	0.1747	
Inhalants	0.0301	0.0003	0.0001	0.0005	0.0023	0.0323	0.0034	0.0401	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0000	0.0000	0.0000	0.0596	0.0188	0.2655	0.1540	0.4565	
Pain Relievers	0.0018	0.0052	0.0000	0.2748	0.1354	0.6761	0.2796	0.8695	
OxyContin [®]	0.0031	0.0006	0.0628	0.0404	0.7543	0.9046	0.7923	0.9094	
Tranquilizers	0.2342	0.0828	0.1922	0.8084	0.7910	0.7453	0.8873	0.7579	
Stimulants ³	0.0000	0.0000	0.0000	0.0000	0.0000	0.0012	0.0041	0.2046	
Methamphetamine ³	0.0000	0.0000	0.0000	0.0000	0.0000	0.0035	0.0588	0.0532	
Sedatives	0.0196	0.3478	0.3808	0.4276	0.3046	0.3520	0.6221	0.3710	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0000	0.0000	0.0000	0.0061	0.0127	0.4533	0.0836	0.3099	

*Low precision; no estimate reported.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.18C Types of Illicit Drug Use in the Past Year among Males Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	65	64	62	66	65	67	58	64	66
Marijuana and Hashish	55	53	53	56	54	57	51	59	60
Cocaine	23	19	20	19	18	18	17	17	16
Crack	8	9	7	7	8	7	6	5	3
Heroin	5	6	8	6	6	5	9	6	6
Hallucinogens	29	25	26	25	22	26	26	27	28
LSD	18	11	13	14	10	11	14	12	12
PCP	8	9	9	11	8	7	8	7	4
Ecstasy	22	15	16	14	14	19	18	21	22
Inhalants	31	33	34	33	32	31	31	29	27
Nonmedical Use of Psychotherapeutics ^{2,3}	42	43	39	41	43	45	38	41	41
Pain Relievers	38	40	37	38	40	40	35	38	40
OxyContin [®]	--	--	13	13	12	13	14	15	16
Tranquilizers	22	22	19	21	18	19	20	18	21
Stimulants ³	24	20	18	19	21	18	15	17	16
Methamphetamine ³	16	12	12	13	14	8	6	7	10
Sedatives	10	13	10	11	11	9	9	12	8
ILLCIT DRUGS OTHER THAN MARIJUANA¹	52	53	49	52	51	55	46	48	50

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.18D Types of Illicit Drug Use in the Past Year among Males Aged 12 to 17: Standard Errors of Percentages, 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	0.52	0.50	0.48	0.51	0.50	0.52	0.45	0.51	0.53
Marijuana and Hashish	0.43	0.42	0.41	0.43	0.42	0.44	0.41	0.47	0.48
Cocaine	0.18	0.15	0.15	0.15	0.14	0.14	0.13	0.14	0.12
Crack	0.06	0.07	0.05	0.05	0.06	0.05	0.05	0.04	0.02
Heroin	0.04	0.05	0.06	0.04	0.04	0.04	0.07	0.04	0.05
Hallucinogens	0.23	0.20	0.20	0.19	0.17	0.20	0.20	0.22	0.22
LSD	0.15	0.09	0.10	0.10	0.07	0.09	0.11	0.09	0.10
PCP	0.06	0.07	0.07	0.09	0.06	0.06	0.06	0.06	0.03
Ecstasy	0.18	0.12	0.12	0.11	0.11	0.14	0.14	0.17	0.18
Inhalants	0.25	0.26	0.26	0.26	0.25	0.24	0.24	0.23	0.22
Nonmedical Use of Psychotherapeutics ^{2,3}	0.33	0.33	0.30	0.32	0.33	0.35	0.30	0.33	0.33
Pain Relievers	0.30	0.31	0.29	0.30	0.31	0.31	0.27	0.30	0.32
OxyContin [®]	--	--	0.10	0.10	0.09	0.10	0.11	0.12	0.13
Tranquilizers	0.17	0.17	0.14	0.16	0.14	0.15	0.16	0.14	0.17
Stimulants ³	0.19	0.15	0.14	0.14	0.16	0.14	0.12	0.13	0.13
Methamphetamine ³	0.12	0.09	0.09	0.10	0.11	0.06	0.05	0.06	0.08
Sedatives	0.08	0.10	0.08	0.08	0.08	0.07	0.07	0.10	0.06
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.41	0.41	0.38	0.40	0.39	0.42	0.36	0.38	0.40

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.18P Types of Illicit Drug Use in the Past Year among Males Aged 12 to 17: P Values from Tests of Differences of Percentages, 2010 Versus 2002-2009

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	0.0000	0.0014	0.0959	0.6466	0.9381	0.9695	0.5929	0.2603	
Marijuana and Hashish	0.0260	0.5001	0.9747	0.1210	0.0248	0.0474	0.0451	0.8872	
Cocaine	0.0000	0.0000	0.0000	0.0007	0.0149	0.0260	0.0721	0.2139	
Crack	0.0008	0.0001	0.0019	0.0517	0.0080	0.0246	0.1549	0.1772	
Heroin	0.4085	0.6386	0.0714	0.7085	0.9249	0.7729	0.2221	0.5937	
Hallucinogens	0.0053	0.9003	0.8864	0.2545	0.0259	0.1505	0.7385	0.6151	
LSD	0.0000	0.8887	0.2940	0.3947	0.1100	1.0000	0.0245	0.3601	
PCP	0.0002	0.0010	0.0083	0.0091	0.1473	0.0203	0.0100	0.1167	
Ecstasy	0.1072	0.0097	0.0083	0.0009	0.0013	0.0985	0.0953	0.9421	
Inhalants	0.0000	0.0002	0.0000	0.0007	0.0035	0.0122	0.0553	0.0617	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0000	0.0000	0.0190	0.0404	0.0006	0.0374	0.5244	0.3148	
Pain Relievers	0.0002	0.0001	0.0291	0.0779	0.0050	0.0980	0.6873	0.3374	
OxyContin [®]	--	--	0.4018	0.4451	0.2842	0.6419	0.7420	0.8326	
Tranquilizers	0.1338	0.0830	0.5112	0.5005	0.6352	0.7863	0.4982	0.8142	
Stimulants ³	0.0000	0.0000	0.0033	0.0226	0.0028	0.1521	0.8155	0.7946	
Methamphetamine ³	0.0042	0.0143	0.1281	0.0514	0.1022	0.6254	0.3085	0.2082	
Sedatives	0.8083	0.1105	0.2202	0.5301	0.3404	0.9611	0.7234	0.0478	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0000	0.0000	0.0015	0.0268	0.0020	0.0827	0.2132	0.1852	

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.19C Types of Illicit Drug Use in the Past Year among Females Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	63	64	63	60	61	58	63	61	64
Marijuana and Hashish	53	55	54	50	51	48	52	48	53
Cocaine	23	19	19	19	20	20	17	13	16
Crack	11	9	8	7	8	9	4	4	4
Heroin	10	5	6	5	6	3	6	5	5
Hallucinogens	27	26	26	24	25	23	25	26	29
LSD	16	11	10	10	10	9	11	8	12
PCP	10	8	7	9	8	6	6	7	7
Ecstasy	22	17	17	15	18	18	22	20	26
Inhalants	30	31	34	33	32	30	31	30	32
Nonmedical Use of Psychotherapeutics ^{2,3}	43	46	45	44	43	42	42	41	42
Pain Relievers	40	42	43	39	39	40	38	39	40
OxyContin [®]	--	--	13	12	13	14	12	13	17
Tranquilizers	24	24	24	21	24	24	21	20	21
Stimulants ³	25	23	21	24	25	20	23	17	20
Methamphetamine ³	17	13	14	14	15	12	13	11	11
Sedatives	13	11	11	12	8	12	11	10	12
ILLCIT DRUGS OTHER THAN MARIJUANA¹	51	56	52	50	49	48	51	51	55

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.19D Types of Illicit Drug Use in the Past Year among Females Aged 12 to 17: Standard Errors of Percentages, 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	0.52	0.52	0.51	0.48	0.49	0.47	0.52	0.50	0.54
Marijuana and Hashish	0.44	0.45	0.44	0.40	0.41	0.39	0.42	0.40	0.44
Cocaine	0.19	0.16	0.15	0.15	0.16	0.16	0.14	0.11	0.14
Crack	0.09	0.07	0.06	0.06	0.07	0.07	0.04	0.03	0.03
Heroin	0.08	0.04	0.05	0.04	0.05	0.03	0.05	0.04	0.04
Hallucinogens	0.23	0.22	0.21	0.19	0.20	0.18	0.21	0.21	0.24
LSD	0.13	0.09	0.08	0.08	0.08	0.07	0.09	0.07	0.10
PCP	0.08	0.06	0.06	0.07	0.06	0.05	0.05	0.06	0.06
Ecstasy	0.18	0.14	0.14	0.12	0.14	0.14	0.18	0.16	0.21
Inhalants	0.25	0.25	0.27	0.27	0.26	0.24	0.26	0.25	0.27
Nonmedical Use of Psychotherapeutics ^{2,3}	0.36	0.38	0.36	0.35	0.35	0.34	0.34	0.34	0.35
Pain Relievers	0.33	0.34	0.35	0.32	0.31	0.33	0.31	0.33	0.33
OxyContin [®]	--	--	0.10	0.09	0.11	0.12	0.10	0.11	0.14
Tranquilizers	0.20	0.19	0.19	0.17	0.19	0.19	0.17	0.16	0.18
Stimulants ³	0.21	0.19	0.17	0.20	0.20	0.16	0.19	0.14	0.17
Methamphetamine ³	0.14	0.10	0.11	0.11	0.12	0.09	0.10	0.09	0.09
Sedatives	0.10	0.09	0.09	0.10	0.06	0.10	0.09	0.08	0.10
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.42	0.46	0.43	0.40	0.39	0.39	0.42	0.42	0.46

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.19P Types of Illicit Drug Use in the Past Year among Females Aged 12 to 17: P Values from Tests of Differences of Percentages, 2010 Versus 2002-2009

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	0.0012	0.0011	0.0068	0.4250	0.7359	0.0461	0.4866	0.4152	
Marijuana and Hashish	0.0005	0.0105	0.0851	0.7186	0.8650	0.0044	0.3374	0.1273	
Cocaine	0.0000	0.0006	0.0192	0.0011	0.0001	0.0023	0.4337	0.1521	
Crack	0.0000	0.0001	0.0157	0.0130	0.0004	0.0026	0.4047	0.7293	
Heroin	0.1467	0.5888	0.9448	0.5444	0.3686	0.1848	0.9857	0.7873	
Hallucinogens	0.0740	0.6917	0.6993	0.0707	0.1900	0.0114	0.1007	0.3032	
LSD	0.0008	0.4530	0.9381	0.7032	0.5221	0.3354	0.8476	0.5078	
PCP	0.0007	0.0476	0.3715	0.1438	0.3914	0.9835	0.7530	0.8931	
Ecstasy	0.5320	0.0122	0.0016	0.0000	0.0036	0.0008	0.0206	0.0787	
Inhalants	0.6825	0.2735	0.1961	0.0775	0.1502	0.5582	0.9691	0.8849	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0045	0.0058	0.0006	0.1269	0.1899	0.6936	0.6925	0.9247	
Pain Relievers	0.0472	0.0215	0.0048	0.3051	0.2328	0.9583	0.5872	0.6360	
OxyContin [®]	--	--	0.1613	0.0581	0.3121	0.9897	0.2794	0.6898	
Tranquilizers	0.1411	0.0942	0.3412	0.7608	0.7472	0.6476	0.6140	0.5283	
Stimulants ³	0.0000	0.0000	0.0010	0.0004	0.0001	0.1277	0.2318	0.9770	
Methamphetamine ³	0.0000	0.0051	0.0047	0.0175	0.0039	0.1692	0.7280	0.9133	
Sedatives	0.2020	0.6448	0.8840	0.7482	0.1909	0.8495	0.7583	0.3352	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0631	0.0197	0.0146	0.1893	0.4800	0.3206	0.5091	0.5801	

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.20C Types of Illicit Drug Use in the Past Month among Males Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	52	47	44	49	46	53	42	48	52
Marijuana and Hashish	44	43	39	43	39	44	38	44	46
Cocaine	12	10	12	13	9	9	10	10	9
Crack	4	7	4	6	2	2	2	4	*
Heroin	3	5	4	4	2	2	4	4	1
Hallucinogens	14	15	15	13	11	13	16	16	16
LSD	8	7	7	7	4	7	8	5	8
PCP	4	5	4	4	3	5	3	4	2
Ecstasy	10	8	10	7	8	8	10	12	10
Inhalants	16	16	16	18	18	19	17	16	15
Nonmedical Use of Psychotherapeutics ^{2,3}	30	28	26	26	27	29	22	24	24
Pain Relievers	26	26	24	24	25	26	20	22	23
OxyContin [®]	--	--	7	6	5	6	7	9	8
Tranquilizers	11	14	12	13	9	12	10	9	11
Stimulants ³	17	13	13	14	12	9	9	10	9
Methamphetamine ³	13	8	8	10	7	4	4	5	4
Sedatives	3	8	2	4	7	6	3	8	5
ILLCIT DRUGS OTHER THAN MARIJUANA¹	36	32	32	33	33	37	30	30	30

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.20D Types of Illicit Drug Use in the Past Month among Males Aged 12 to 17: Standard Errors of Percentages, 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	0.41	0.37	0.34	0.38	0.36	0.41	0.33	0.38	0.41
Marijuana and Hashish	0.35	0.34	0.30	0.33	0.30	0.34	0.30	0.35	0.37
Cocaine	0.10	0.08	0.09	0.10	0.07	0.07	0.08	0.08	0.07
Crack	0.03	0.05	0.03	0.04	0.02	0.02	0.02	0.03	*
Heroin	0.02	0.04	0.03	0.03	0.01	0.01	0.03	0.03	0.01
Hallucinogens	0.11	0.11	0.11	0.10	0.08	0.10	0.13	0.12	0.13
LSD	0.07	0.06	0.05	0.06	0.03	0.06	0.06	0.04	0.07
PCP	0.03	0.04	0.03	0.03	0.02	0.04	0.03	0.03	0.01
Ecstasy	0.08	0.06	0.08	0.05	0.06	0.06	0.08	0.09	0.08
Inhalants	0.13	0.13	0.12	0.14	0.14	0.15	0.14	0.13	0.12
Nonmedical Use of Psychotherapeutics ^{2,3}	0.23	0.22	0.20	0.20	0.21	0.22	0.17	0.19	0.19
Pain Relievers	0.21	0.20	0.18	0.18	0.20	0.20	0.15	0.18	0.19
OxyContin [®]	--	--	0.05	0.04	0.04	0.05	0.05	0.07	0.06
Tranquilizers	0.08	0.11	0.09	0.10	0.07	0.09	0.08	0.07	0.09
Stimulants ³	0.13	0.11	0.10	0.10	0.09	0.07	0.07	0.08	0.08
Methamphetamine ³	0.10	0.06	0.06	0.08	0.06	0.03	0.04	0.04	0.03
Sedatives	0.02	0.06	0.01	0.03	0.05	0.04	0.02	0.06	0.04
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.28	0.25	0.25	0.26	0.25	0.28	0.23	0.24	0.24

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.20P Types of Illicit Drug Use in the Past Month among Males Aged 12 to 17: P Values from Tests of Differences of Percentages, 2010 Versus 2002-2009

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	0.0012	0.0807	0.8043	0.6095	0.2490	0.4799	0.0635	0.7309	
Marijuana and Hashish	0.1260	0.6454	0.5666	0.0914	0.0014	0.1095	0.0256	0.9757	
Cocaine	0.0102	0.0181	0.0172	0.0119	0.4371	0.4549	0.1036	0.6893	
Crack	*	*	*	*	*	*	*	*	
Heroin	0.1415	0.2490	0.0361	0.0666	0.7949	0.5928	0.1271	0.1411	
Hallucinogens	0.5817	0.3839	0.9938	0.2900	0.0721	0.3874	0.2403	0.6364	
LSD	0.5252	0.8032	0.5125	0.5644	0.0277	0.5453	0.7132	0.3796	
PCP	0.0928	0.0627	0.3916	0.3624	0.5234	0.2667	0.2142	0.3150	
Ecstasy	0.6497	0.2569	0.6253	0.1088	0.2544	0.1604	0.6493	0.3881	
Inhalants	0.0625	0.3599	0.3390	0.1073	0.1366	0.1217	0.4506	0.8266	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0000	0.0000	0.0014	0.0060	0.0056	0.0134	0.5693	0.0694	
Pain Relievers	0.0006	0.0003	0.0239	0.0621	0.0504	0.0739	0.8263	0.1534	
OxyContin [®]	--	--	0.9271	0.2736	0.3232	0.7713	0.5999	0.2677	
Tranquilizers	0.6089	0.0083	0.4526	0.2523	0.2292	0.2096	0.9886	0.8040	
Stimulants ³	0.0036	0.0006	0.0158	0.0932	0.0634	0.8293	0.7279	0.6281	
Methamphetamine ³	0.0185	0.0065	0.0853	0.0052	0.0920	0.8109	0.2349	0.1766	
Sedatives	0.1684	0.1998	0.0847	0.4397	0.4792	0.9757	0.2864	0.2416	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0000	0.0000	0.0018	0.0072	0.0148	0.0501	0.1948	0.1271	

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.21C Types of Illicit Drug Use in the Past Month among Females Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	44	45	50	43	45	44	43	45	49
Marijuana and Hashish	35	39	38	35	36	35	38	36	40
Cocaine	13	12	9	10	10	10	8	7	7
Crack	7	3	3	5	3	4	1	2	2
Heroin	5	4	2	2	5	*	5	2	3
Hallucinogens	15	13	12	14	14	11	14	12	14
LSD	9	7	4	3	6	3	7	5	5
PCP	4	3	3	4	3	*	2	3	2
Ecstasy	12	10	7	9	9	8	11	10	12
Inhalants	16	19	20	16	18	17	16	15	17
Nonmedical Use of Psychotherapeutics ^{2,3}	30	31	31	26	28	28	25	27	30
Pain Relievers	28	28	28	24	25	25	22	25	27
OxyContin [®]	--	--	8	5	3	5	5	6	6
Tranquilizers	14	16	12	10	11	15	13	12	11
Stimulants ³	13	14	14	12	12	11	9	11	12
Methamphetamine ³	7	8	9	8	8	7	4	6	7
Sedatives	8	6	6	5	5	7	8	5	6
ILLCIT DRUGS OTHER THAN MARIJUANA¹	35	37	38	31	33	33	31	34	37

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.21D Types of Illicit Drug Use in the Past Month among Females Aged 12 to 17: Standard Errors of Percentages, 2002-2010

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	0.37	0.37	0.40	0.35	0.36	0.35	0.36	0.38	0.41
Marijuana and Hashish	0.29	0.32	0.31	0.29	0.29	0.29	0.32	0.30	0.34
Cocaine	0.11	0.10	0.07	0.08	0.08	0.08	0.06	0.06	0.05
Crack	0.06	0.03	0.03	0.04	0.03	0.03	0.01	0.01	0.02
Heroin	0.04	0.03	0.02	0.01	0.04	*	0.04	0.02	0.02
Hallucinogens	0.12	0.11	0.10	0.11	0.11	0.09	0.11	0.10	0.12
LSD	0.07	0.06	0.04	0.03	0.05	0.02	0.05	0.04	0.04
PCP	0.03	0.02	0.02	0.03	0.03	*	0.02	0.02	0.02
Ecstasy	0.10	0.08	0.06	0.07	0.07	0.06	0.09	0.08	0.10
Inhalants	0.13	0.15	0.16	0.13	0.15	0.14	0.13	0.13	0.15
Nonmedical Use of Psychotherapeutics ^{2,3}	0.25	0.25	0.25	0.21	0.22	0.23	0.21	0.23	0.25
Pain Relievers	0.23	0.23	0.23	0.19	0.20	0.20	0.18	0.21	0.22
OxyContin [®]	--	--	0.07	0.04	0.03	0.04	0.04	0.05	0.05
Tranquilizers	0.11	0.13	0.09	0.08	0.09	0.12	0.10	0.10	0.10
Stimulants ³	0.10	0.11	0.11	0.10	0.10	0.09	0.07	0.09	0.10
Methamphetamine ³	0.05	0.06	0.07	0.06	0.06	0.05	0.03	0.05	0.06
Sedatives	0.07	0.05	0.04	0.04	0.04	0.06	0.06	0.04	0.05
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.29	0.30	0.31	0.25	0.26	0.26	0.25	0.28	0.31

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.

Table 7.21P Types of Illicit Drug Use in the Past Month among Females Aged 12 to 17: P Values from Tests of Differences of Percentages, 2010 Versus 2002-2009

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010
ILLCIT DRUGS¹	0.0505	0.0224	0.1475	0.7680	0.8893	0.1628	0.1587	0.4930	
Marijuana and Hashish	0.0673	0.0823	0.1314	0.6103	0.8805	0.2028	0.4587	0.8074	
Cocaine	0.0031	0.0000	0.0204	0.0016	0.0013	0.0079	0.1909	0.7711	
Crack	0.1106	0.0696	0.4562	0.1086	0.1251	0.0798	0.4047	0.8806	
Heroin	0.7977	0.4492	0.5202	0.5381	0.2373	*	0.8405	0.7514	
Hallucinogens	0.2294	0.3186	0.5168	0.8552	0.6712	0.0800	0.7993	0.5510	
LSD	0.5334	0.4427	0.7475	0.1755	0.5945	0.0692	0.9389	0.7081	
PCP	0.0609	0.3357	0.8386	0.1771	0.5167	*	0.4174	0.6457	
Ecstasy	0.6124	0.1746	0.0026	0.0214	0.0405	0.0026	0.0783	0.1435	
Inhalants	0.7490	0.2607	0.4975	0.9737	0.2306	0.5077	0.4732	0.2716	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0590	0.1113	0.2813	0.6719	0.7136	0.6961	0.1835	0.5772	
Pain Relievers	0.1806	0.2320	0.2987	0.7083	0.6862	0.4486	0.1250	0.7695	
OxyContin [®]	--	--	0.1219	0.7021	0.1535	0.8636	0.6436	0.3497	
Tranquilizers	0.0162	0.0434	0.5238	0.9638	0.8112	0.2147	0.4446	0.4812	
Stimulants ³	0.0134	0.0028	0.0975	0.0585	0.0889	0.2532	0.9107	0.3974	
Methamphetamine ³	0.1391	0.0399	0.1284	0.1506	0.2552	0.4908	0.6256	0.8650	
Sedatives	0.0408	0.9011	0.9641	0.5795	0.7627	0.8147	0.5384	0.4432	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.1207	0.0761	0.3124	0.7797	0.9431	0.3216	0.0726	0.2956	

*Low precision; no estimate reported.

-- Not available.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality (formerly the Office of Applied Studies), National Survey on Drug Use and Health, 2002-2010.